

DATA DOCUMENTATION FORM

TR-0147

F022

NOAA FORM 24-13 (4-72)

U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEANOGRAPHIC DATA CENTER  
RECORDS SECTION  
ROCKVILLE, MARYLAND 20852

FORM APPROVED  
O.M.B. No. 41-R2651

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

329048 C022

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED			
PMEL/NOAA 3711 15th NE Seattle, Washington 98105			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT	
OCSEAP - Bering Sea		RP4-MW-76C, LEG. II FILE ID = MW-C-2	
4. PLATFORM NAME(S)	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.)	6. PLATFORM AND OPERATOR NATIONALITY(IES)	7. DATES
R/V INDIANA WAVE	SHIP	U.S. U.S.	FROM: MO, DAY, YR TO: MO, DAY, YR 8/6/76 8/9/76
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED.	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? I.I.E. SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)		GENERAL AREA 	
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1)			
Mr. Pat Laird (206) 442-4580			

### D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ('✓') the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (IMFR, MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED						INSTRUMENT IS NOT CALI- BRATED (✓)	
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)			
CTD Plessey 9040	1975		NOIC	6 mo.							

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

ST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE  
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3), differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. ATTRIBUTES AS EXPRESSED IN  PL-1  ALGOL  COBOL  
 FORTRAN  \_\_\_\_\_ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Donna Bendiner (206) 543-2007  
ADDRESS Dept. of Oceanography, University of Washington, Seattle, Wa. 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>141 022 NOAA/PMEL Laird, N.P.</p> <p>MOA/VA WAVE</p> <p>File 1 ID = MW-C-2 8/6-9/76</p> <p>File 2 ID = MW76B8 6/30-7/8/76</p> <p>7-track, BCD, 800 BPI, even parity</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>3600 bytes</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>6 bits</p>

VOL = SER = 009468

LABEL = (1, NL)

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH TEMPERATURE SALINITY	Meters °C ‰	CTD Plessey 9040 " "	N/A N/A computed from conductivity	values averaged over 1 meter intervals

76-1709



U.S. DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
ENVIRONMENTAL RESEARCH LABORATORIES

Outer Continental Shelf Environmental  
Assessment Program  
Bering Sea-Gulf of Alaska Project Office  
P. O. Box 1808  
Juneau, Alaska 99802  
PH: 907-586-7432

te : October 15, 1976

: Jim Audet  
EDS Data Coordinator

om : Francesca M. Cava, Assistant Data Manager *FM Cava*  
NOAA/OCSEAP - Juneau Project Office

bject: Submission of Data for R.U. 141.

Under separate cover are 1 magnetic tape, partial printouts and DDFs.  
This data is labelled as follows:

141 022 #1 MW-C-2, #2 MW76B8  
Moana Wave RP4-MW-76C Leg II — 76-1709 (10F2) MW-C-2  
RP4-MW-76B Leg VIII — 76-1709 (20F2) MW76B8  
August 6 - 9, 1976, June 30-July 8, 1976  
7 Track, BCD, Even Parity Laird/PMEL

cc: P. Laird  
M. Pelto  
J. Schumacher

END.



DDF A:1:12

DATA DOCUMENTATION FORM

TR-0148

F022

NOAA FORM 24-13  
(4-72)

U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEANOGRAPHIC DATA CENTER  
RECORDS SECTION  
ROCKVILLE, MARYLAND 20852

FORM APPROVED  
O.M.B. No. 41-R2651

329049

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

RECEIVED  
OCT 15 1976

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED

PMEL/NOAA  
3711 15th NE  
Seattle, Washington 98105

2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED

OCSEAP - Bering Sea

3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT

RP4-MW-76B-LEG VIII  
File ID = MW76B8

4. PLATFORM NAME(S)

R/V  
MOANA WAVE

5. PLATFORM TYPE(S)  
(E.G., SHIP, BUOY, ETC.)

Ship

6. PLATFORM AND OPERATOR NATIONALITY(IES)

U.S.

U.S.

7. DATES

PLATFORM	OPERATOR	FROM: MO, DAY, YR	TO: MO, DAY, YR
U.S.	U.S.	6/30/76	7/8/76

8. ARE DATA PROPRIETARY?

NO  YES

IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR \_\_\_\_\_ MONTH \_\_\_\_\_

11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED.

GENERAL AREA


9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)?

(I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?)

NO  YES  PART (SPECIFY BELOW)

10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1)

Mr. Pat Laird  
(206) 442-4580



B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH TEMPERATURE SALINITY	Meters °C ‰	CTD Plessey 9040 " "	N/A N/A computed from conductivity	values averaged over 1 meter intervals



C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE  
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3), differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. ATTRIBUTES AS EXPRESSED IN  PL-1  ALGOL  COBOL  
 FORTRAN  \_\_\_\_\_ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Donna Bendiner (206) 543-2007  
ADDRESS Dept. of Oceanography, University of Washington, Seattle, Wa. 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>141 022 NOAA/PMEL Laird, M.P. MOANA WAVE File 1 ID = MW-C-2 8/6-9/76 File 2 ID = MW76B8 6/30-7/8/76 7-track, BCD, 800 BPI, even parity</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>3600 bytes</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>6 bits</p>

006 SER-9468

LABEL = (2, M)



### D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT IS NOT CALI- BRATED (✓)	
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)		
CTD Plessey 9040	1975		NOIC	6 mo.						(✓)