

DOF 4:3:05

DATA DOCUMENTATION FORM

TR0616

DAA FORM 24-13

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852

FORM APPROVED O.M.B. No. 41-R2651

FOYO

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

A. ORIGINATOR IDENTIFICATION

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

333 Raspberr	•	and Game	e		•	
Anchorage, A	laska 99502		•			
2. EXPEDITION, PROJECT, O DATA WERE COLLECTED	R PROGRAM DURING	WHICH		IBER(S) USED E IS SHIPMENT	Y ORIGINATOR	TO IDENTIFY
Outer Continental Assessment Progra Habitat			F(57608 4e		
4. PLATFORM NAME(S)	5. PLATFORM TYPE (E.G., SHIP, BUO		6. PLATFORM A NATIONALIT	ND OPERATOR Y(IES)		TES
Cessna 180	Aircraft		U.S.	OPERATOR U.S.		7-24-76
8. ARE DATA PROPRIETARY XNO YES IF YES, WHEN CAN THE FOR GENERAL USE?	EY BE RELEASED		SE DARKEN ALI AINED IN YOUR		ERE COLLECTE	
9. ARE DATA DECLARED NA PROGRAM (DNP)? (I.E., SHOULD THEY BE IN DATA CENTERS HOLDINGS TIONAL EXCHANGE?)	CLUDED IN WORLD	100 120 1 2/2 2/2 60 2/4 40 134 20 2/2 20 2/2	237 232 233 233 244 255 255 255 255 255 255 255 255 255	11:0° 100° 8.3° 80° 11:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0° 12:0	\$19226 \$21925 \$45214 \$15418 \$15418	40° 60° 80° 100° 250 (
Person to whom inquiring the should be addressed to the phone number (AND ADDITION IN ITEM-I) Paul D. Arneson Alaska Dept. of Fit 333 Raspberry Road Anchorage, AK 995	SED WITH TELE- DRESS IF OTHER LSh & Game	0° 123 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7° 166 / 7°	607 752; 608 752; 608 752; 608 752; 608 753; 608 752; 608 752; 608 752; 608 752; 608 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752; 608 752;	C1/ 011 019 025 018 018 019 019 019 019 019 019 019 019	031/977 00/2016 130/317 130/317 177/30 177/30 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/317 130/31	100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100
NOAA FORM 24-19		<u> </u>		· · · · · · · · · · · · · · · · · · ·	Usco	DMM-DC 44289-P72

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Survey Conditions	code	See attached list	N/A	N/A
Distance Surveyed	km	K & E Map Measure #62 0300	Traced shoreline surveyed on 1:63,360 USGS maps	N/A
Area Surveyed	km ²	Salmoigraphi Planimeter Model 236/A	Traced area surveyed on 1:63,360 USGS maps	n/A
Sampling Technique	e code	See attached list	N/A	N/A
Platform Type	Code	See attached list	N/A	N/A
Speed of Platform	km/hr	Aircraft instruments	Converted from mph or knots using Sharp EL8300 calculate	N/A
Altitude of Plat- form	meters	Aircraft instruments	Converted from ft to musing Sharp EL8300 calculate	or N/A
Dry Bulb Temper- ature	Deg. C.	Nearest FAA Flight Service instruments	Converted from °F to °C using Sharp EL8300 calcu-lator	N/A
Barometric Pres- sure	Millibars	Nearest FAA Flight Service instruments	Converted from inches to millibars using Handbook of Chemistry & Physics conversion chart.	N/A
Wind Direction	Tens of Degrees UMO codes 0885 & 0877	Nearest FAA Flight Service instruments or ocular estimation using aircraft instruments	n/A	N/A
Wind Speed	knots	Nearest FAA Flight Service instruments or ocular estimation	N/A	N/A

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Weather	WMO code 4677	Recorded by observer	N/A	N/A
Cloud Amount	WMO code 2700	Estimated by observer	N/A	N/A
Tide Height	Code	See attached list	Interpolated from nearest tidal difference in NOAA Tide Tables	N/A
Habitat	Code	See attached list	Subjective evaluation of habitat on which bird observation is made	N/A
Activity	Code	See attached list	N/A	N/A
Counting Method	Code	See attached list	Numerical estimation by lowest possible grouping	N/A

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE

GIVE METHOD OF IDE	ENTIFYING EACH RECORD TYPE	
040; File iden	 Environment Habitat Text pe is identified by a heatification: always FG, 	ader consisting of: File type: always fiscal year, and batch no.; station num-
ber: see atta	cned code.	
2. GIVE BRIEF DESCRIF	PTION OF FILE ORGANIZATION	
batch number. All pertinent	Separate surveys are mo	by station number for each survey or stly in chronological order. for each station. Within each record,
	itas indicate not observ	eu.
4. RESPONSIBLE COMPL NAME AND ADDRESS	FORTRAN	neson (907)344-0541 horage, Alaska 99502
COURT ETE THIS	SECTION IF DATA ARE ON MAGNE	TIC TARE
5. RECORDING MODE	BCD BINARY ASCII EBCDIC	9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH N/A
		10. END OF FILE MARK OCTAL 17 N/A
6. NUMBER OF TRACKS (CHANNELS)	SEVEN	
N/A	NINE	11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)
7. PARITY N/A	ODD	003 040 FG7608 Aircraft
B. DENSITY		760724-760 7 24 Arneson, P.
n/A	200 BPI X 1600 BPI 556 BPI 800 BPI	12. PHYSICAL BLOCK LENGTH IN BYTES N/A 80 Char unblocked 13. LENGTH OF BYTES IN BITS
NOAA FORM 24-13		M/A USCOMM-DC 44283-P72

RECORD FORMAT DESCRIPTION

RECORD NAME

14.	ELD	NAM	E	15. POSITION FROM-1 MEASURED	1	GTH	17. ATTRI	BUTES	18. USE AND MEANING
				(e.g., bits, bytes)	NUMBER	UNITS			
	See	at	tached	format - t	entati	vely a	pproved	11 Jun	e 1976.
				-					
		•				-			
	÷								
							.*		
					-				
								j	

SURVEY CONDITIONS CODE

- 1 = Excellent surface of water calm, usually a high overcast sky with
 no sun glare. Birds appear dark against a uniformly light gray background of the water's surface. Individuals easily distinguished at a
 distance.
- 2 = Very good may be light ripple on water's surface or slightly uneven
 lighting but still relatively easy to distinguish individuals at a
 distance.
- 3 = Good may be light chop, some sun glare or shadows. Individuals at a distance may be difficult to distinguish but individuals nearby and small groups at a distance are readily identified.
- 4 = <u>Fair</u> usually choppy waves and strong sun glare or dark shadows in part of the survey track. Individuals near the observer readily identified but most individuals difficult to distinguish.
- 5 = Poor individuals difficult to distinguish unless very close and some flocks at a distance may be missed, however conditions still good enough to give a very rough impression of the distribution of animals.
- 6 = <u>Unacceptable</u> heavy chop with many whitecaps, lighting poor or large waves breaking on shoreline. No surveys should be conducted under these conditions but occasionally a sighting of significance may be made in the course of other activities.

Conditions may vary within a single count area. Therefore the classification may represent the average conditions encountered. Where unique conditions occurred, conditions should be described in a text card.

Leave blank if not determined or specified.

Sampling Technique Code

- 0 Count from land to fixed distance
- 1 Count from land to horizon
- 2 Count from ship to fixed distance with no zone
- 3 Count from ship to fixed distance with zone
- 4 Count from ship to horizon with no zone
- 5 Count from ship to horizon with zone
- 6 Count from airplane to fixed distance with no zone
- 7 Count from airplane to fixed distance with zone
- 9 Other technique (see text)
- A Count from airplane to fixed distance from one side, no fixed distance other side. Actual distance to each bird not recorded (shoreline survey two observers).
- B Count from airplane to fixed distance from both sides of airplane. Actual distance to each bird not recorded (two observers).
- C Count from airplane to no fixed distance from one side of airplane (shore-line survey, one observer).
- D Count from airplane to fixed distance from one side of airplane (one observer).
- E Count from airplane, total count of a station.

Note: The interpretation of the distance to bird recorded in columns 45-47 on data card depends on this code. If zones were used, the distance indicates the upper limit of the zone which the bird was in when observed (horizon as an upper limit to a zone indicated by 999). If zones were not used than a distance represents the actual distance to the bird at time of observation. Also the zone scheme and angle of view, as well as distance estimation method used should be indicated in the text.

Platform Type Code

- l Research Ship
- 2 Non-specialized ship
- 3 Satellite
- 4 Balloon
- 5 Airolane
- 6 Anchored buoy
- 7 Drifting buoy
- 8 Submerged float, anchored
- 9 Submerged float, drifting
- A Fixed platform
- B Fixed Coastal Station/Fixed Shore Station
- C Drifting ice
- י שולניבופדלנים פ
- E Helicopter
- F Shore observer (auto or foot)
- G Ice station

Counting Method Code

Blank - Not specified

- 1 Counted by ones
- 2 Counted by twos
- 3 Counted by fives
- 4 Counted by tens
- 5 Counted by fifties
- 6 Counted by hundreds
- 7 Counted by thousands
- 8 Counted by ten thousands
- 9 Estimated by mental comparison to count made for flock of similar size seen recently (same order of magnitude)
- A Estimated by instantaneous guess
- B Counted by twenty-fives

Activity (behavior) Code

(0) indeterminable

- (01) sitting on surface
- (02) sitting on surface, diving in response to observer
- (03) sitting on surface, flying off in response to observer
 - 04 sitting on surface, flying off in response to observer, landing again nearby
 - 05 sitting on surface and colling
 - 06 sitting on surface and bathing
 - 10 sitting on floating object (see debris association code for identity of object)
 - Il sitting on floating object, flying off in response to observer
 - 12 sitting on floating object, flying off in response to observer, landing again n-
 - 13 sitting on floating object and calling
- (20) flying (height and type of flight not noted)
- 21 flying, below wave/swell crests (type of flight not noted)
- 22 flying, 0-3m above wave/swell crests (type of flight not noted)
- 23 flying, 3-10m above wave/swell crests (type of flight not noted)
- 24 flying, 10-50m above wave/swell crests (type of flight not noted).
- 25 flying, 50-m above wave/swell crests (type of flight not noted)
- 26 flying, flarping (height of flight not noted)
- 27 flying, flapping and gliding/soaring (height of flight not noted)
- 28 flying, gliding/scaring (height of flight not noted)
- 30 flying and calling
- 31 flying, circling ship
- 32 flying, following ship
- 33 flying, being pursued
- 54 flying, being pirated (parasitised)
- 40 flying, below wave/swell crests, flapping.
 - 41 flying, below wave/swell create, flapping and gliding
 - 42 flying, below wave/swell crests, gliding
 - 43 flying, 0-3m above wave/swell crests, flapping
- 44 flying, 0-3m above wave/swell creats, flapping and cliding
- 45 flying, 0-3m above wave/evell creats, gliding

Activity (behavior) Code [continued]

- 45 flying, 3-10m above wave/evell crests, flapping
- 47 flying, 3-10m above wave/swell creats, flapping and gliding
- 48 flying, 3-10m above wave/swell creats, gliding
- 49 flying, 10-50m above wave/swell crests, flapping
- 50 flying, 10-50m above wave/swell creats, flapping and gliding/soaring
- 51 flying, 10-50m above wave/swell creats, gliding/searing
- 52 flying, 50 to above wave/swell crests, flapping
- 53 flying, 50+m above wave/swell crests, flapping and soaring
- 54 flying, 50-m above wave/swell crests, scaring
- 60) feeding at surface
- 61 feeding at surface, dipping (hovering, only bill used).
- 62 feeding at surface, skimming(flying, only bill used)
- 63 feeding at surface, pattering (hovering, bill and feet used)
- 64 feeding at surface, filtering (sitting, bill in water)
- 65 feeding at surface, scavenging (sitting, eating dead organism)
- 66 feeding at surface, soizing (sitting, enting live organism)
- 67 feeding at surface, pursuing (running/flapping, head under water)
- 70 feeding below surface
- 71 feeding below surface, diving from air (plunge-diving), shallow (less than one body length)
- 72 feeding below surface, diving from air (plunge-diving), deep (more than one body length)
- 73 feeding below surface, diving from surface (pursuit diving)
- 74 peering (sitting or running/flapping, head under water looking for prey)
- 80' feeding above surface
- 81 feeding above surface, dipping (hovering or flying, equatic organisms momentarily exposed captured in air)
- 82 feeding above surface, aerial piracy (parasitism)
- 83 feeding above surface, aerial pursuit
- (9) courtship display (see text for details)
- (99) other (see text)

This code can be expanded to as much detail as is desired by using alpha

HABITAT CODE FOR COASTAL BIRD SURVEYS

ATTRIBUTE	S: WATER TYPE Al	PHYSIOGRAPHIC FEATURE Al	SUBTRATE TYPE Al	COVER TYPE Al
0	Indeterminable from air	Indeterminable from air	Indeterminable from air	Indeterminable from air
1	Undetermined	Undetermined	Undetermined	`Undetermined
2.``	Combination of below (see text)			
3	Eay	Beach	Mud	Bare
4	Lagoon	Coastal Floodplain	Sand	Elymus - beach rye
5	Embayment	Salt Chuck	Gravel	Carex - sedge
6	Fjord	Inter-tidal area	Large rocks	Zostera - eelgrass
7	Unprotected shoreline	Tide Upwelling	Mud and sand	Mixed grass
8	Brackish pond or lake	Sand spit	Sand and gravel	Mixed forbs
. 9	Fresh water pond or lake	Barrier Island	Sand, gravel and rocks	Algae - kelp
A	Lotic environment	Other Island	Water	Coniferous trees
В	Open water (Pelagic)	River Delta	Land ice	Deciduous trees
C		Stream Delta	Sea ice (floating)	•
D		Cliff		
E		Manmade structure (see text)		•
F		River Bank		•

Definitions for Habitat Code

Water Types

Bay¹: A large estuary with a relatively high degree of

flushing

Lagoon¹: A relatively shallow estuary with very restricted

exchange with the sea and no significant fresh water

inflow.

Embayment: A relatively small and shallow estuary with rather

restricted flushing and significant freshwater inflow.

Fjord²: Λ long, narrow deep inlet from the sea between steep

cliffs and slopes.

Unprotected shoreline: Coastal shoreland exposed to open ocean with a high

energy beach.

Brackish pond or lake: A body of water within the coastal floodplain that is

influenced by saltwater during storm tides.

Fresh water pond or lake

A body of water containing no measureable salt water

found above the coastal floodplain.

Physiographic Feature

Coastal Floodplain: The area of shorelands extending inland from the normal

high tide line to the maximum storm water level.

Salt Chuck: An intertidal estuary with a restricted outlet with

or without fresh water inflow.

Other definitions are self-explanatory

¹From Clark, J. 1974. Coastal Ecosystems. Ecological Considerations for Management of the Coastal Zone. The Conservation Foundation. Washington D.C. 178pp.

²From Morris, W. Ed. 1970. The American Heritage Dictionary of the English Language. American Heritage Publishing Company, Inc. and Houghton Mifflin Company. New York. page 497.

Station Number Code

Letter to be placed under first digit of station number (Byte 11).

N - Northeast Gulf of Alaska

P - Prince William Sound

G - South side of Alaska Peninsula

L - Lower Cook Inlet

K - Kodiak Archipelago

J - South side of Alaska Peninsula

A - North side of Alaksa Peninsula

U - Aleutian Shelf

B - Bristol Bay - North

E - Chukchi Sea

0 - Beaufort Sea





UMITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration ENVIRONMENTAL DATA SERVICE

June 14, 1976

Paul Arneson Alaska Dept. of Fish and Game 333 Raspberry Street Anchorage, AK 99502

Dear Paul:

Enclosed is a final draft of the Marine Bird Habitat Format.

If there are no changes to this format, I will forward it to Jim Audet and Bob Stein in Washington, and they will send "final" form of this format.

If there are any comments, please let me know as soon as possible.

Sincerely,

Mike Crane

MC:vp

cc: John J. Audet
Dr. Wayne Fischer
M. Pelto
Robert Stein
John Brahm
John J. Burns
file

BIRD HABITAT FORMAT

HEADER RECORD TYPE

Parameter Name	Byte loc Length
File type	1 3
File Ident.	4 6
Record type	10 1 "1"
Station number	11 5 Alphanumerics
Latitude)	16 7 Deg/Min/Sec
)Midpoint position of Longitude) station	23 8 Deg/Min/Sec
Date	3 A1 6 GAT
Time	37 4 GMT
Elapsed time	41 4 Hrs/Min(from star to
Survey condition	end of station 45 l Code Paul Arneson
Distance surveyed	46 3 Kilometers to tenths
Area surveyed	49 4 Kilometers ²
Sampling technique code	53 1 Alpha/numeric
Platform type	54 1 (Use present Bird
Speed of platform	Sighting Codes) 55 4 Kilometers/hr to tenth
Altitude of platform	59 4 Meters to tenth
Predominate course of platform	63 2 Tenths of degrees
Photos taken	$ \begin{array}{ccc} & Y & N \\ & 1 & (yes or no) \end{array} $
Blank	66 15

BIRD HABITAT FORMAT

ENVIRONMENT RECORD TYPE

Par	ameter Name	Byte loc	Leng	gth
Fil	e type	1	3	
Fil	e Ident.	4	. 6	
Rec	ord type	10	1	"2"
Sta	tion number	11	5	
Sur	face temperature	16	4	
Sur	face solinity	20	3	
レ Dry	bulb tenperature	23	4	In tenth of Deg. C
Wet	bulb temperature	27	4	In tenth of Deg. C
Rel	ative humidity	31	2	Percent (00-99)
∨ Bar	ometric pressure	33	4	In tenth of millibars
√ Bar	ometric trend	37	1	+ rising, - falling, o steady
√ Win	d direction	38	2	In tens of degrees WMO Code
∪ Win	id speed	40	2	0885 0877 Whole knots
Sea	ı state	42	1	:
Swe	ell direction	43	2	In tens of degrees
Swe	ell height	45	3	In meters to tenths
∨Wea	ther	48	2	WMO Code 4677
\ C.l.c	oud type	50	1	WMO Code 0500
	oud amount	51.	1	WMO Code 2700
	cer color	52	. 2	Forel-Ule scale
	sibility	54	1	WMO Code 4300

(Cont. on next page)

BIRD HABITAT FORMAT (CONTINUED) ENVIRONMENT RECORD TYPE

Sun direction code	55	1 Use compass direction code
Glare intensity code	56	1
Clare area code	57	
Light level	58	3 In foot-candles x 100
Moon phase code	61	1
Tide height code	62	1
∨Rising falling tide	63	1
SECCHI depth	64	2 Whole meters
Debris code	65	1
Blank	66	15

BIRD HABITAT FORMAT

HABITAT RECORD TYPE

	Parameter Name	Byte loc	Length
	. File type	. 1	3
	File Ident.	4	6
	Record type	10	1 "4"
	Station number	11	5
	Sequence number	16	4
	> Species code	20	10
	Subspecies code	30	2
,	Species group	32	2
	Number of individuals	34	6
	- Habitat code	40	4 Paul Arneson code
	✓ Activity code	44	2 (Update code from bird
	Direction of Birds' flight	46	sighting check breeding 2 Tens of degrees
	· Distance from shore to birds	48	4 x kilometers
	Distance from Barrier Island to birds	52	4 -= inshore/+ = outshore
	Distance from River Delta to birds	56	4 x kilometers
	Depth at Observation	. 60	3 meters
	Molt	63	1
	Color Phase	64	1
	Plumage	65	1
	∨ Age Class/maturity	66	1
	∨Sex	67	1
	Association Codes Type	68	1 Bird sighting codes
	Lankaca	1. ()	•

69

Linkage

BIRD HABITAT FORMAT (CONT.)

HABITAT RECORD TYPE

Number of species participating	72	2
Number of species in flock	74	2
Counting method code	76	1
Blank	7 7	4

9 February 1976

BIRD HABITAT FORMAT CARD RECORD TYPE

Parameter Name	Byte loc	Length
File type	1	3
File Ident.	۷,	6
Record type	10	1 "5"
Station number	11	5 Alphanumerics
Sequence number	16	4
Text material	20	61

Password:

accNo	fleA	refNo	proj	inst	ship	startDate	cruise	catId
7601880	F040	TR0616	0081	31W6	3191	1976/07/24	FG7608	301391

(1 row affected)

Password:

accNo	fleA	refNo	ship	staCnt	recCnt	startDate	endDate
7601880	F040	TR0616	3191	26	309	76/07/24	76/07/25

(1 row affected)