

DDF-B:1:19

DATA DOCUMENTATION FORM

TR B38
F022

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED

PMEL/NOAA
3711 15th NE
Seattle, Washington 98105

2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED

MESA - Puget Sound

3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT

Cruise - SNOWGOOSE2
File ID = SNWGSE

4. PLATFORM NAME(S)

R/V
SNOWGOOSE
32GS

5. PLATFORM TYPE(S)
(E.G., SHIP, BUOY, ETC.)

Ship

6. PLATFORM AND OPERATOR NATIONALITY(IES)

PLATFORM	OPERATOR
U.S.	U.S.

7. DATES

FROM: MO, DAY, YR	TO: MO, DAY, YR
3/1/77	3/2/77

8. ARE DATA PROPRIETARY?

NO YES


IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____

11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED.

GENERAL AREA

9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)?
(I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?)

NO YES PART (SPECIFY BELOW)



10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1)

Mr. Pat Laird
(206) 442-4580

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	Meters	CTD Plessey 9040	N/A	} values averaged over 1 meter intervals
TEMPERATURE	°C	"	N/A	
SALINITY	‰	"	computed from conductivity	

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3), differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Donna Bendiner (206) 543-2007
ADDRESS Dept. of Oceanography, University of Washington, Seattle, Wa. 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>MESA - Puget Sound N.P. Laird</p> <p>File 1 ID = SNW 65E Casts 128 3/1-2/77</p> <p>File 2 ID = MA 77A Casts 168 3/7-1/77</p> <p>7-track, BCD, 800 BPI, even parity</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>3600 bytes</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>6 bits</p>

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

[Empty box for listing record types]

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for describing file organization]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:
NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>0667(1,NL)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

NAME	15. POSITION FROM 1 - MEASURED IN bytes (e.g., bits, bytes)	15. LENGTH		17. ATTRIBUTES	19. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	"		
Record Type	10	1	"	I1	Always '1'
Cast Number	11	5	"		Analogous to NODC Station Number
Text	16	100	"	100A1	Additional pertinent information
Sequence Number	116	5	"	I5	Ascending numeric, used for sorting

MASTER RECORD (Required Thru Bytes 59)				Date: 10/15/75	
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	"		
Record Type	10	1	"	I1	Always '2'
Cast Number	11	5	"		Analogous to NODC Station Number
Latitude, Degrees	16	2	"	I2	
Minutes	18	2	"	I2	
Hundredths of Minutes	20	2	"	I2	
Hemisphere	22	1	"	A1	'N' or 'S'
Longitude, Degrees	23	3	"	I3	
Minutes	26	2	"	I2	
Hundredths of Minutes	28	2	"	I2	
Hemisphere	30	1	"	A1	'E' or 'W'
Cruise Identification	31	10	"	10A1	Originator Cruise Identification
Number of Scans	41	5	"	I5	Number of scans in a 'station'. (There are five scans per record type '3')
Year	46	2	"	I2	Last two digits of year
Month	48	2	"	I2	1-12
Day	50	2	"	I2	1-31
Hour	52	2	"	I2	0-23
Minutes	54	2	"	I2	0-59
Depth Interval Indicator	56	1	"	I1	'0' equals unequally spaced depths
Depth Interval	57	3	"	I3	'1' equals equal spaced depths
Barometric pressure	60	5	"	I5	When above equals '1', the depth interval, to tenths of meters reported
					Millibars
					To tenths

14. NAME	15. POSITION FROM - MEASURED IN bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C To tenths
Dry bulb temperature	69	4	"	I4	Degrees C To tenths
Wind direction	73	2	"	I2	Tens of degrees WMO Codes 0855
Wind speed	75	2	"	I2	Whole knots and 0877
Weather Code	77	1	"	I1	WMO 4501
Sea State Code	78	1	"	I1	WMO 3700
Visibility Code	79	1	"	I1	WMO 4300
Cloud Type Code	80	1	"	A1	WMO 0500
Cloud Amount Code	81	1	"	I1	WMO 2700
Instrument Information	82	20	"	20A1	Type and Serial Number
Location Name	102	6	"	A6	OCSEP Internal Location Code
Depth to bottom	108	5	"	I5	To whole meters
Maximum depth of cast	113	4	"	I4	To whole meters
Blank	117	4	"	4X	
DETAIL RECORD (Required)					Date: 10/15/75
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	"		
Record Type	10	1	"	I1	Always '3'
Cast Number	11	5	"	I1	Analogous to NODC Station Number
Depth	16	5	"	I5	Meters to Tenths)
Temperature	21	5	"	I5	Deg. C to Thousandths)
Salinity	26	5	"	I5	P.P.T. to Thousandths) SCAN DATA
Sigma-t	31	4	"	I4	To hundredths)
Scan Condition Code	35	1	"	A1	Code describing how data arrived at)
SCAN DATA Sequence Number	36 116	4(20) 5	"	4(3I5,I4,A1) I5	Repetition of above Ascending numeric, used for sorting
					Blanks are used when significance of field indicated exceeds what is measured.

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT IS NOT CALI- BRATED (✓)
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
CTD Plessey 9040	Dec 1976		NOIC	6 mo.					

DATA DOCUMENTATION FORM

TR 1339
F022

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED			
PMEL/NOAA 3711 15th NE Seattle, Washington 98105			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT	
MESA - Puget Sound		OPR-509-MA-77A File ID = MA-77A	
4. PLATFORM NAME(S)	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.)	6. PLATFORM AND OPERATOR NATIONALITY(IES)	
		PLATFORM	OPERATOR
MacArthur 31m4	Ship	U.S.	U.S.
		7. DATES	
		FROM: MO, DAY, YR	TO: MO, DAY, YR
		3/7/77	3/10/77
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED.	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)		GENERAL AREA 	
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1)			
Mr. Pat Laird (206) 442-4580			

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT IS NOT CALI- BRATED (✓)
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
CTD Plessey 9040	Dec. 1976		NOIC	6 mo.					

14. NAME	15. POSITION FROM IT MEASURED IN (e.g., Ltr, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEASURING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C To tenths
Dry bulb temperature	69	4	"	I4	Degrees C To tenths
Wind direction	73	2	"	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	"	I2	Whole knots
Weather Code	77	1	"	I1	WMO 4501
Sea State Code	78	1	"	I1	WMO 3700
Visibility Code	79	1	"	I1	WMO 4300
Cloud Type Code	80	1	"	A1	WMO 0500
Cloud Amount Code	81	1	"	I1	WMO 2700
Instrument Information	82	20	"	20A1	Type and Serial Number
Location Name	102	6	"	A6	OCSEP Internal Location Code
Depth to bottom	108	5	"	I5	To whole meters
Maximum depth of cast	113	4	"	I4	To whole meters
Blank	117	4	"	4X	
DETAIL RECORD (Required)					Date: 10/15/75
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	"		
Record Type	10	1	"	I1	Always '3'
Cast Number	11	5	"	I1	Analogous to NODC Station Number
Depth	16	5	"	I5	Meters to Tenths)
Temperature	21	5	"	I5	Deg. C to Thousandths)
Salinity	26	5	"	I5	P.P.T. to Thousandths) SCAN DATA
Sigma-t	31	4	"	I4	To hundredths)
Scan Condition Code	35	1	"	A1	Code describing how data arrived at)
SCAN DATA Sequence Number	36 116	4(20) 5	"	4(3I5,I4,A1) I5	Repetition of above Ascending numeric, used for sorting
					Blanks are used when significance of field indicated exceeds what is measured.

NAME	15. POSITION FROM 1- MEASURED IN BYTES (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identifica- tion	4	6	"		
Record Type	10	1	"	I1	Always '1'
Cast Number	11	5	"		Analogous to NODC Station Number
Text	16	100	"	100A1	Additional pertinent information
Sequence Number	116	5	"	I5	Ascending numeric, used for sorting
MASTER RECORD (Required Thru Bytes 59)					Date: 10/15/75
File Type	1	3	Bytes	A3	Always '022'
File Identifica- tion	4	6	"		
Record Type	10	1	"	I1	Always '2'
Cast Number	11	5	"		Analogous to NODC Station Number
Latitude, Degrees	16	2	"	I2	
Minutes	18	2	"	I2	
Hundredths of Minutes	20	2	"	I2	
Hemisphere	22	1	"	A1	'N' or 'S'
Longitude, Degrees	23	3	"	I3	
Minutes	26	2	"	I2	
Hundredths of Minutes	28	2	"	I2	
Hemisphere	30	1	"	A1	'E' or 'W'
Cruise Identifica- tion	31	10	"	10A1	Originator Cruise Identification
Number of Scans	41	5	"	I5	Number of scans in a 'station'. (There are five scans per record type '3')
Year	46	2	"	I2	Last two digits of year)
Month	48	2	"	I2	1-12
Day	50	2	"	I2	1-31
Hour	52	2	"	I2	0-23
Minutes	54	2	"	I2	0-59
Depth Interval Indicator	56	1	"	I1	'0' equals unequally spaced depths
Depth Interval	57	3	"	I3	'1' equals equal spaced depths When above equals '1', the depth interval, to tenths of meters reported
Barometric pressure	60	5	"	I5	Millibars To tenths

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE; MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

[Empty box for listing record types]

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for describing file organization]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>0667(1,NL)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3), differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Donna Bendiner (206) 543-2007
ADDRESS Dept. of Oceanography, University of Washington, Seattle, Wa. 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p><i>MESA - Puget Sound M.P. Laird</i></p> <p>File 1 ID = SANGSE Casts 1-22 2/7/77</p> <p>File 2 ID = MA-77A Casts 1-6P 3/7-10/77</p> <p><i>7-track, BCD, 800 BPI, even parity</i></p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>3600 bytes</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>6 bits</p>

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH TEMPERATURE SALINITY	Meters °C ‰	CTD Plessey 9040 " "	N/A N/A computed from conductivity	} values averaged over 1 meter intervals

022-2

#2 001545

007508

120/4800, F022

ANSE 000295

5464

(C4049)

#1 U020118

TR 268, 530-531, 551, 578, 582, 592, 740-741, 1320-1321,
1338, 1339, 1449-1453, 1541-1548, 1702-1704, 1720-1721,
1846-1851, 1854, 1872, 2095, 2100-2101, 2127-2128,
2381, 2387-2388, 2776-2777, 2931-2933

263,398

accession no: 77-0438

Password:

accNo	fleA	refNo	proj	inst	ship	startDate	cruise	catId
7700438	F022	TR1338	0082	313F	32GS	1977/03/01	2	304112
7700438	C022	329073	0082	313F	32GS	1977/03/01	TR1338	304113
7700438	F022	TR1339	0082	313F	31M4	1977/03/07	OPR-509	304114
7700438	C022	319074	0082	313F	31M4	1977/03/07	TR1339	304115

(4 rows affected)

Password:

accNo	fileA	refNo	ship	staCnt	recCnt	startDate	endDate
7700438	F022	TR1338	32GS	27	605	77/03/01	77/03/02
7700438	C022	329073	32GS	27	28	77/03/01	77/03/02
7700438	F022	TR1339	31M4	67	1742	77/03/07	77/03/10
7700438	C022	319074	31M4	67	67	77/03/07	77/03/10

(4 rows affected)