

DDF-B:2:01 DATA DOCUMENTATION FORM

FORM 24-13

U.S. DEPARTMENT OF COMMERCE
 NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
 NATIONAL OCEANOGRAPHIC DATA CENTER
 RECORDS SECTION
 ROCKVILLE, MARYLAND 20852

FORM APPROVED
 O.M.B. No. 41-R3551

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319083

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED

Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA)
 3711 - 15th Avenue N.E.
 Seattle, WA 98105.

2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED

DOMES

3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT

DOMES-06
 RP-8-06-75 leg 1

4. PLATFORM NAME(S)

NOAA SHIP
 OCEANOGRAPHER

5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.)

NOAA SHIP

6. PLATFORM AND OPERATOR NATIONALITY(IES)

PLATFORM	OPERATOR
U.S.	U.S.

7. DATES

FROM: MO/DAY/YR	TO: MO/DAY/YR
8/24/75	9/13/75

8. ARE DATA PROPRIETARY?

NO YES


IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____

11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED.

GENERAL AREA

9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?)

NO YES PART (SPECIFY BELOW)



10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1)

Dr. David Halpern
 (206) 543-5284

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	PLESSEY 904L CTD	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C			
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS. 022

RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. BYTES, AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Marguerite McCarty 543-1093
ADDRESS Department of Oceanography 1010 U.W. Seattle, Wa. 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>8. RECORDING MODE</p> <input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY <input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC <input type="checkbox"/> _____	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH <input type="checkbox"/> _____</p>
<p>5. NUMBER OF TRACKS (CHANNELS)</p> <input checked="" type="checkbox"/> SEVEN <input type="checkbox"/> NINE <input type="checkbox"/> _____	<p>10. END OF FILE MARK <input checked="" type="checkbox"/> OCTAL 17 <input type="checkbox"/> _____</p>
<p>7. PARITY</p> <input type="checkbox"/> ODD <input checked="" type="checkbox"/> EVEN	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>DONES 1 STD DATA TAPE FILE IDENT. DONES 1 7-TRACK, BCD, EVEN PARITY, 800 BPI ORIGINATOR - DR. DAVID HALPERN</p>
<p>8. DENSITY</p> <input type="checkbox"/> 200 BPI <input type="checkbox"/> 1500 BPI <input type="checkbox"/> 556 BPI <input checked="" type="checkbox"/> 800 BPI <input type="checkbox"/> _____	<p>12. PHYSICAL BLOCK LENGTH IN BYTES <u>5120</u></p> <p>13. LENGTH OF BYTES IN BITS <u>6</u></p>

LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

[Empty box for listing record types and identifying methods]

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for describing file organization]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:
NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <input type="checkbox"/> BCD <input type="checkbox"/> BINARY <input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC <input type="checkbox"/> _____	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH <input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <input type="checkbox"/> SEVEN <input checked="" type="checkbox"/> NINE <input type="checkbox"/> _____	<p>10. END OF FILE MARK <input type="checkbox"/> OCTAL 17 <input type="checkbox"/> _____</p>
<p>7. PARITY</p> <input checked="" type="checkbox"/> ODD <input type="checkbox"/> EVEN	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>5532 (1, 2)</p>
<p>8. DENSITY</p> <input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI <input type="checkbox"/> 556 BPI <input type="checkbox"/> 800 BPI <input type="checkbox"/> _____	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

RECORD FORMAT DESCRIPTION STD

TEXT RECORD. (OPTIONAL)

14. NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 1</i>
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 1</i>
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of Minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Longitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of Minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year
Month	48	2	Bytes	I2	1-12
Day	50	2	Bytes	I2	1-31
Hour	52	2	Bytes	I2	0-23
Minutes	54	2	Bytes	I2	0-59
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths '1' equals equal spaced depths
Depth Interval	57	3	Bytes	I3	When above equals '1', the depth interval, to tenths of meters reported.
Barometric Pressure	60	5	Bytes	I5	Millibars to tenths

GMT

RECORD FORMAT DESCRIPTION STD

MASTER RECORD CONTINUED

FIELD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (0.4 = bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	
DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 1</i>
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5, I4, A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
Blanks are used when significant of field indicated exceeds what is measured.					

SCAN DATA

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT IS NOT CALI- BRATED (✓)
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
PLESSEY 9040 CTD	JUL 75		PLESSEY		✓				

DATA DOCUMENTATION FORM

TR1542

NOAA FORM 24-13
(4-72)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
HOCKVILLE, MARYLAND 20852

FORM APPROVED
O.M.B. No. 41-R-551

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319084

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED			
Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA) 3711 15th Avenue N.E. Seattle, WA 98105			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT	
DOMES		DOMES-OC RP-8-OC-75 leg 2	
4. PLATFORM NAME(S)	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.)	6. PLATFORM AND OPERATOR	7. DATES
NOAA SHIP OCEANOGRAPHER	NOAA SHIP	NATIONALITY(IES)	
		PLATFORM	OPERATOR
		U.S	U.S
		FROM: MO, DAY, YR	TO: MO, DAY, YR
		9/22/75	10/13/75
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED.	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)		GENERAL AREA	
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Dr. David Halpern (206) 543-5284			

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	PLESSEY 9040 CTD	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C			
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS. 232

RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-T ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER MARGUERITE MCCARTY 206-543-1093
ADDRESS Dept of Oceanography, Office: WB-10 Seattle, W.A. 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LABEL SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p><u>COMES - 2 CTD DATA</u> <u>TAPE FILE IDENTIFICATION COMES 2-</u> <u>7-TRACK, BCD, EVEN PARITY, 800 BPI</u> <u>ORIGINATOR - DR. DAVID HALPERN</u></p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p><u>3600</u></p> <p>13. LENGTH OF BYTES IN BITS</p> <p><u>6</u></p>

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE <input type="checkbox"/> BCD <input type="checkbox"/> BINARY <input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC <input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH <input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS) <input type="checkbox"/> SEVEN <input checked="" type="checkbox"/> NINE <input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input type="checkbox"/> OCTAL 17 <input type="checkbox"/> _____</p>
<p>7. PARITY <input checked="" type="checkbox"/> ODD <input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER) <i>5532 (1, NL)</i></p>
<p>8. DENSITY <input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI <input type="checkbox"/> 556 BPI <input type="checkbox"/> 800 BPI <input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES <i>4800</i></p>
	<p>13. LENGTH OF BYTES IN BITS <i>120</i></p>

RECORD FORMAT DESCRIPTION STD

CORD NAME .TEXT RECORD (OPTIONAL)

NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DONES 2</i>
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DONES 2</i>
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of Minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Longitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of Minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year
Month	48	2	Bytes	I2	1-12
Day	50	2	Bytes	I2	1-31
Hour	52	2	Bytes	I2	0-23
Minutes	54	2	Bytes	I2	0-59
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths '1' equals equal spaced depths
Depth Interval	57	3	Bytes	I3	When above equals '1', the depth interval, to tenths of meters reported.
Barometric Pressure	60	5	Bytes	I5	Millibars to tenths

RECORD FORMAT DESCRIPTION STD

RECORD NAME MASTER RECORD CONTINUED

10. NAME	15. POSITION FROM -1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	
DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 2</i>
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5,I4,A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
Blanks are used when significance of field indicated exceeds what is measured.					

DATA DOCUMENTATION FORM

TR1543

FORM APPROVED

NOAA FORM 24-13
(4-72)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852

O.M.B. No. 41-R3551

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319085

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED			
Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA) 3711 - 15th Avenue N.E. Seattle, WA. 98105.			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT	
DOMES		DOMES - OC RP-8-OC-75 leg 3	
4. PLATFORM NAME(S)	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.)	6. PLATFORM AND OPERATOR NATIONALITY(IES)	7. DATES
NOAA SHIP OCEANOGRAPHER	NOAA SHIP	U.S. U.S.	FROM: MO, DAY, YR TO: MO, DAY, YR 10/26/75 11/12/75
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Dr. David Halpern (206) 543-5284			

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	PLESSEY 9040 CTD.	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C			
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Marguerite McCurdy 206-543-1093
ADDRESS Dept of Oceanography WFS-10 (Pal W) Seattle, Wash 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>DONES-3 CTD DATA TAPE FILE IDENTIFICATION DONES3 7-TRACK, BCD, EVEN PARITY, 200 BPI ORIGINATOR DE. VINE HALPERN!</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p><u>3600</u></p> <p>13. LENGTH OF BYTES IN BITS</p> <p><u>6</u></p>

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

[Empty box for record types]

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>5532 (1, NL)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

RECORD NAME TEXT RECORD (OPTIGNAL)

15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bit, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
	NUMBER	UNITS		
File Type	1	3 Bytes	A3	Always '022'
File Identification	4	6 Bytes	A6	<i>DOMES 3</i>
Record Type	10	1 Bytes	I1	Always '1'
Cast Number	11	5 Bytes	A5	Analogous to NODC Station Number
Text	16	100 Bytes	100A1	Additional pertinent information
Sequence Number	116	5 Bytes	I5	Ascending numeric, used for sorting

MASTER RECORD (REQUIRED THRU BYTES 59)

File Type	1	3 Bytes	A3	Always '022'
File Identification	4	6 Bytes	A6	<i>DOMES 3</i>
Record Type	10	1 Bytes	I1	Always '2'
Cast Number	11	5 Bytes	A5	Analogous to NODC Station Number
Latitude				
Degrees	16	2 Bytes	I2	
Minutes	18	2 Bytes	I2	
Hundredths of minutes	20	2 Bytes	I2	
Hemisphere	22	1 Bytes	A1	'N' or 'S'
Longitude				
Degrees	23	3 Bytes	I3	
Minutes	26	2 Bytes	I2	
Hundredths of minutes	28	2 Bytes	I2	
Hemisphere	30	1 Bytes	A1	'E' or 'W'
Cruise Identification	31	10 Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5 Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2 Bytes	I2	Last two digits of year } GMT
Month	48	2 Bytes	I2	
Day	50	2 Bytes	I2	
Hour	52	2 Bytes	I2	
Minutes	54	2 Bytes	I2	
Depth Interval Indicator	56	1 Bytes	I1	'0' equals unequally spaced depths
Depth Interval	57	3 Bytes	I3	'1' equals equal spaced depths
				When above equals '1', the depth interval, to tenths of meters reported.
Barometric pressure	60	5 Bytes	I5	Millibars to tenths

RECORD NAME MASTER RECORD CONTINUED

FIELD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	
DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DONES 3</i>
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5,I4,A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
Blanks are used when significance of field indicated exceeds what is measured.					

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INST MEN NO CAL DRAT
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
PLISSEY 9040 CTD	JUL 1975		PLISSEY		✓				

DATA DOCUMENTATION FORM

711544

JR000B

AA FORM 24-13
2)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852

FORM APPROVED
O.M.B. No. 41-R3551

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319086

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA) 3711 - 15th Avenue N.E. Seattle, WA 98105.			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED DOMES		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT DOMES - OC RP-8-OC-76 leg 4	
4. PLATFORM NAME(S) NOAA SHIP OCEANOGRAPHER	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.) NOAA SHIP	6. PLATFORM AND OPERATOR NATIONALITY(IES) PLATFOM OPERATOR US US	7. DATES FROM: MO, DAY, YR TO: MO, DAY, YR 2/18/76 3/13/76
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (ONP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Dr. David Halpern (206) 543-5284			

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	PLESSEY 9040 CTD	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C	PLESSEY 9006 CTD		
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
 METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Marguerite McCarty 206 543-1093
 ADDRESS Dept. of Oceanography, W.B.-15, 16010 Seattle, WA 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>DONES-4 CTD DATA TAPE FILE IDENTIFICATION DONES4 7-TRACK, BCD, EVEN PARITY, 800 BPI ORIGINATOR DR. DAVE HALPERN</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>3600</p>
	<p>13. LENGTH OF BYTES IN BITS</p> <p>6</p>

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

[Empty box for record types]

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>5532 (1, NL)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

14. NAME	15. POSITION FROM -1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 4</i>
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting

MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 4</i>
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Longitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year
Month	48	2	Bytes	I2	1-12
Day	50	2	Bytes	I2	1-31
Hour	52	2	Bytes	I2	0-23
Minutes	54	2	Bytes	I2	0-59
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths '1' equals equal spaced depths
Depth Interval	57	3	Bytes	I3	When above equals '1', the depth interval, to tenths of meters reported.
Barometric pressure	60	5	Bytes	I5	Millibars to tenths

} GMT

FIELD NAME	15. POSITION FROM -1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	

DETAIL RECORD (REQUIRED)					
Record Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DONES 4</i>
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5,I4,A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting

} SCAN DATA

Blanks are used when significance of field indicated exceeds what is measured.

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT NO. OR DRAWING NO.
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
PLESSEY 9040 CTD	7-75		PLESSEY		✓				
PLESSEY 9006 CTD	1-76		NOIC		✓				

DATA DOCUMENTATION FORM

NOAA FORM 24-13
(4-72)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
HOCKVILLE, MARYLAND 20852

FORM APPROVED
O.M.B. No. 41-RJ551

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319087

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA) 3711 - 15th Avenue N.E. Seattle, WA. 98105.			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED DOMES		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT DOMES-OC RP-8-OC-76 leg 5	
4. PLATFORM NAME(S) NOAA SHIP OCEANOGRAPHER	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.) NOAA SHIP	6. PLATFORM AND OPERATOR NATIONALITY(IES) U.S., U.S.	7. DATES FROM: MO/PAY/YR TO: MO/DAY/YR 3/27/76 4/11/76
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Dr. David Halpern (206) 543-5284			

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	PLESSEY CTD 7040	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C			
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for description of file organization]

3. CONTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER MARGUERITE McCARTY 202-543-1513
ADDRESS DEPT of Oceanography, NOAA, Seattle, WA 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p><u>DOMES 5 LTD DATA</u> <u>TAPE FILE IDENTIFICATION: DOMES 5</u> <u>7-TRACK, EVEN PARITY, BCD, 800 BPI</u> <u>ORIGINATOR - DR DAVE HALPERN</u></p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p><u>3600</u></p> <p>13. LENGTH OF BYTES IN BITS</p> <p><u>6</u></p>

LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH <input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p style="font-size: 1.5em; text-align: center;">5532 (1, NL)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p style="font-size: 1.5em; text-align: center;">4800</p>
	<p>13. LENGTH OF BYTES IN BITS</p> <p style="font-size: 1.5em; text-align: center;">120</p>

RECORD NAME TEXT RECORD (OPTIONAL)

14. NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 5</i>
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 5</i>
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Longitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year
Month	48	2	Bytes	I2	1-12
Day	50	2	Bytes	I2	1-31
Hour	52	2	Bytes	I2	0-23
Minutes	54	2	Bytes	I2	0-59
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths
Depth Interval	57	3	Bytes	I3	'1' equals equal spaced depths
					When above equals '1', the depth interval, to tenths of meters reported.
Barometric pressure	60	5	Bytes	I5	Millibars to tenths

FIELD NAME	15. POSITION FROM -1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	

DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>Domes 5</i>
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5,I4,A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting

} SCAN DATA

Blanks are used when significance of field indicated exceeds what is measured.

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INST MET NO CA DRAT (✓)
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
PLESSEY 9040 CTD	Jul. 1976		PLESSEY		✓				

DATA DOCUMENTATION FORM

TR1546

TR0004

AA FORM 24-13
(2)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852

FORM APPROVED
O.M.B. No. 41-K2591

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319088

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA) 3711 - 15th Avenue N.E. Seattle, WA. 98105.			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED DOMES		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT DOMES-OC RP-8-OC-76 leg 6	
4. PLATFORM NAME(S) NOAA SHIP OCEANOGRAPHER	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.) NOAA SHIP	6. PLATFORM AND OPERATOR 7. DATES	
		NATIONALITY(IES)	
		PLATFORM	OPERATOR
		U.S.	U.S.
		FROM: MO/DAY/YR	TO: MO/DAY/YR
		4/27/76	5/4/76
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Dr. David Halpern (206) 543-5284			

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	PLESSLY 9040 CTD	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C			
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Marguerite McGraw 206-543-1093
ADDRESS Dept of Oceanography, W.B. 10, Univ of Washington, Seattle, Wash 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>DONES-6 CTD DATA</p> <p>TAPE FILE IDENTIFICATION DONES 6</p> <p>7 TRACK, BCD, EVEN PARITY, 800 BPI</p> <p>ORIGINATOR - DR. DAVID HALPERN</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p><u>3600</u></p> <p>13. LENGTH OF BYTES IN BITS</p> <p><u>6</u></p>

1. LIST RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
 GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

[Empty box for record types and identifying methods]

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:
 NAME AND PHONE NUMBER _____
 ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>5532 (1, N2)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

RECORD NAME TEXT RECORD (OPTIONAL)

12. RECORD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 6</i>
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 6</i>
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Longitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of Minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year
Month	48	2	Bytes	I2	1-12
Day	50	2	Bytes	I2	1-31
Hour	52	2	Bytes	I2	0-23
Minutes	54	2	Bytes	I2	0-59
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths '1' equals equal spaced depths
Depth Interval	57	3	Bytes	I3	When above equals '1', the depth interval, to tenths of meters reported.
Barometric pressure	60	5	Bytes	I5	Millibars to tenths

RECORD NAME MASTER RECORD CONTINUED

FIELD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	
DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 6</i>
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5,I4,A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
Blanks are used when significance of field indicated exceeds what is measured.					

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRUMENT IS NOT CALIBRATED
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
PLESSEY 9040 CTD	July 75		PLESSEY		✓				

DATA DOCUMENTATION FORM

11/14/87
TR1547
JPOOOF

SA FORM 24-13
2)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852

FORM APPROVED
O.M.B. No. 41-R2551

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319089

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA) 3711 - 15th Avenue N.E. Seattle, WA. 98105.			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED DOMES		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT DOMES-OC RP-8-OC-76 leg 7.	
4. PLATFORM NAME(S) NOAA SHIP OCEANOGRAPHER	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.) NOAA SHIP	6. PLATFORM AND OPERATOR NATIONALITY(IES) PLATFORM OPERATOR U.S. U.S.	7. DATES FROM: MO, DAY, YR TO: MO, DAY, YR 7/31/76 8.2.76
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR _____ MONTH _____		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Dr. David Halpern (206) 543-5284			

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	PLESSEY 9006 STD	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C			
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. CONTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER Marguerite McCarty 206-543-1093
ADDRESS Oceanography Dept., NOAA B-0 Seattle, Wash. 98105

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p><u>DOMES-7 CTD DATA</u> <u>TAPE IDENTIFICATION DOMES7</u> <u>7 TRACK. 800 BPI, BCD EVEN PARITY</u> <u>ORIGINATOR - DR. DAVE HALPERN</u></p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p><u>3600</u></p> <p>13. LENGTH OF BYTES IN BITS</p> <p><u>6</u></p>

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
 GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
 ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>5532 (1, N4)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

RECORD NAME TEXT RECORD (OPTIONAL)

D NAME	15. POSITION FROM -1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 7</i>
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES 7</i>
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Latitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year
Month	48	2	Bytes	I2	1-12
Day	50	2	Bytes	I2	1-31
Hour	52	2	Bytes	I2	0-23
Minutes	54	2	Bytes	I2	0-59
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths '1' equals equal spaced depths
Depth Interval	57	3	Bytes	I3	When above equals '1', the depth interval, to tenths of meters reported.
Barometric pressure	60	5	Bytes	I5	Millibars to tenths

RECORD NAME, MASTER RECORD CONTINUED

FIELD NAME	15. POSITION FROM -1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	
DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	<i>DOMES ?</i>
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5,I4,A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
Blanks are used when significance of field indicated exceeds what is measured.					

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INST MEN IS NO CAL BRAD
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
PLESSEY 9006 CTD	July 1976		NOIC		✓				

DATA DOCUMENTATION FORM

AA FORM 24-13
1/79

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852

FORM APPROVED
O.M.B. No. 41-K251

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

Cruise # 319090

A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMPLETED BY DONOR FOR ALL DATA TRANSMITTALS

1. NAME AND ADDRESS OF INSTITUTION, LABORATORY, OR ACTIVITY WITH WHICH SUBMITTED DATA ARE ASSOCIATED Pacific Marine Environmental Laboratory (PMEL/ERL/NOAA) 3711 - 15th Avenue N.E. Seattle, WA. 98105.			
2. EXPEDITION, PROJECT, OR PROGRAM DURING WHICH DATA WERE COLLECTED DOMES		3. CRUISE NUMBER(S) USED BY ORIGINATOR TO IDENTIFY DATA IN THIS SHIPMENT DOMES-CC RP-8-0C-76 leg 8.	
4. PLATFORM NAME(S) NOAA SHIP OCEANOGRAPHER	5. PLATFORM TYPE(S) (E.G., SHIP, BUOY, ETC.) NOAA SHIP	6. PLATFORM AND OPERATOR NATIONALITY(IES) U.S. U.S.	7. DATES FROM: NO, DAY, YR TO: NO, DAY, YR 8/28/76 8/31/76
8. ARE DATA PROPRIETARY? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES IF YES, WHEN CAN THEY BE RELEASED FOR GENERAL USE? YEAR MONTH		11. PLEASE DARKEN ALL MARSDEN SQUARES IN WHICH ANY DATA CONTAINED IN YOUR SUBMISSION WERE COLLECTED. GENERAL AREA	
9. ARE DATA DECLARED NATIONAL PROGRAM (DNP)? (I.E., SHOULD THEY BE INCLUDED IN WORLD DATA CENTERS HOLDINGS FOR INTERNATIONAL EXCHANGE?) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> PART (SPECIFY BELOW)			
10. PERSON TO WHOM INQUIRIES CONCERNING DATA SHOULD BE ADDRESSED WITH TELEPHONE NUMBER (AND ADDRESS IF OTHER THAN IN ITEM-1) Dr. David Halpern (206) 543-5284			

B. SCIENTIFIC CONTENT

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
DEPTH	METERS	P11-55EY 9006-071	N/A	Values averaged over 1-meter intervals
TEMPERATURE	°C			
SALINITY	‰			
SIGMA-T	GM CM ⁻³			

1. RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
METHOD OF IDENTIFYING EACH RECORD TYPE

Three (3) record types, text record (1), master record (2), and detail record (3) differentiated by byte 10.

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

3. CONTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER MARGUERITE MCCARTY 206-543-1093
ADDRESS Geography Dept. WP-10, U.W. Seattle, WA 98195

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input checked="" type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input checked="" type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input checked="" type="checkbox"/> SEVEN</p> <p><input type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK <input checked="" type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input type="checkbox"/> ODD</p> <p><input checked="" type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>Demos. 8 CTB Data Tape file Identification DEMES S BCD, Seven track, 800 BPI, Even Originator: Dr. David Halpern</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input checked="" type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>3600</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>6</p>

RECORD TYPES CONTAINED IN THE TRANSMITTAL OF YOUR FILE
GIVE METHOD OF IDENTIFYING EACH RECORD TYPE

USER TAPE

[Empty box for record types and identifying methods]

2. GIVE BRIEF DESCRIPTION OF FILE ORGANIZATION

[Empty box for file organization description]

3. ATTRIBUTES AS EXPRESSED IN PL-1 ALGOL COBOL
 FORTRAN _____ LANGUAGE

4. RESPONSIBLE COMPUTER SPECIALIST:

NAME AND PHONE NUMBER _____
ADDRESS _____

COMPLETE THIS SECTION IF DATA ARE ON MAGNETIC TAPE

<p>5. RECORDING MODE</p> <p><input type="checkbox"/> BCD <input type="checkbox"/> BINARY</p> <p><input type="checkbox"/> ASCII <input checked="" type="checkbox"/> EBCDIC</p> <p><input type="checkbox"/> _____</p>	<p>9. LENGTH OF INTER-RECORD GAP (IF KNOWN) <input type="checkbox"/> 3/4 INCH</p> <p><input type="checkbox"/> _____</p>
<p>6. NUMBER OF TRACKS (CHANNELS)</p> <p><input type="checkbox"/> SEVEN</p> <p><input checked="" type="checkbox"/> NINE</p> <p><input type="checkbox"/> _____</p>	<p>10. END OF FILE MARK</p> <p><input type="checkbox"/> OCTAL 17</p> <p><input type="checkbox"/> _____</p>
<p>7. PARITY</p> <p><input checked="" type="checkbox"/> ODD</p> <p><input type="checkbox"/> EVEN</p>	<p>11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME KEY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)</p> <p>5532 (1, NL)</p>
<p>8. DENSITY</p> <p><input type="checkbox"/> 200 BPI <input checked="" type="checkbox"/> 1600 BPI</p> <p><input type="checkbox"/> 556 BPI</p> <p><input type="checkbox"/> 800 BPI</p> <p><input type="checkbox"/> _____</p>	<p>12. PHYSICAL BLOCK LENGTH IN BYTES</p> <p>4800</p> <p>13. LENGTH OF BYTES IN BITS</p> <p>120</p>

FIELD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (e.g., bits, bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	DOMES 8
Record Type	10	1	Bytes	I1	Always '1'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Text	16	100	Bytes	100A1	Additional pertinent information
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
MASTER RECORD (REQUIRED THRU BYTES 59)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	DOMES 8
Record Type	10	1	Bytes	I1	Always '2'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Latitude					
Degrees	16	2	Bytes	I2	
Minutes	18	2	Bytes	I2	
Hundredths of Minutes	20	2	Bytes	I2	
Hemisphere	22	1	Bytes	A1	'N' or 'S'
Longitude					
Degrees	23	3	Bytes	I3	
Minutes	26	2	Bytes	I2	
Hundredths of Minutes	28	2	Bytes	I2	
Hemisphere	30	1	Bytes	A1	'E' or 'W'
Cruise Identification	31	10	Bytes	10A1	Originator Cruise Identification
Number of Scans	41	5	Bytes	I5	Number of scans in a 'station' (There are five scans per record type '3')
Year	46	2	Bytes	I2	Last two digits of year
Month	48	2	Bytes	I2	1-12
Day	50	2	Bytes	I2	1-31
Hour	52	2	Bytes	I2	0-23
Minutes	54	2	Bytes	I2	0-59
Depth Interval Indicator	56	1	Bytes	I1	'0' equals unequally spaced depths '1' equals equal spaced depths
Depth Interval	57	3	Bytes	I3	When above equals '1', the depth interval, to tenths of meters reported.
Barometric pressure	60	5	Bytes	I5	Millibars to tenths

} GMT

RECORD NAME MASTER RECORD CONTINUED

FIELD NAME	15. POSITION FROM - 1 MEASURED IN Bytes (0, 1, bits, Bytes)	16. LENGTH		17. ATTRIBUTES	18. USE AND MEANING
		NUMBER	UNITS		
Wet bulb temperature	65	4	Bytes	I4	Degrees C to tenths
Dry bulb temperature	69	4	Bytes	I4	Degrees C to tenths
Wind direction	73	2	Bytes	I2	Tens of degrees WMO Codes 0855 and 0877
Wind speed	75	2	Bytes	I2	Whole knots
Weather Code	77	1	Bytes	I1	WMO 4501
Sea State Code	78	1	Bytes	I1	WMO 3700
Visibility Code	79	1	Bytes	I1	WMO 4300
Cloud Type Code	80	1	Bytes	A1	WMO 0500
Cloud Amount Code	81	1	Bytes	I1	WMO 2700
Instrument Information	82	20	Bytes	20A1	Type and Serial Number
Location Name	102	6	Bytes	A6	OCSEP Internal Location Code
Depth to bottom	108	5	Bytes	I5	To whole meters
Maximum depth of cast	113	4	Bytes	I4	To whole meters
Blank	117	4	Bytes	4X	
DETAIL RECORD (REQUIRED)					
File Type	1	3	Bytes	A3	Always '022'
File Identification	4	6	Bytes	A6	DOMES 8
Record Type	10	1	Bytes	I1	Always '3'
Cast Number	11	5	Bytes	A5	Analogous to NODC Station Number
Depth	16	5	Bytes	I5	Meters to tenths
Temperature	21	5	Bytes	I5	Degrees C to thousandths
Salinity	26	5	Bytes	I5	P.P.T. to thousandths
Sigma-t	31	4	Bytes	I4	To hundredths
Scan Condition Code	35	1	Bytes	A1	Code describing how data arrived at
SCAN DATA	36	4(20)	Bytes	4(3I5, I4, A1)	Repetition of above
Sequence Number	116	5	Bytes	I5	Ascending numeric, used for sorting
Blanks are used when significance of field indicated exceeds what is measured.					

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("✓") the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS CALIBRATED BY		CHECK ONE: INSTRUMENT IS CALIBRATED					INST MEN IS NO CAL BRAT - - (✓)
		YOUR ORGANIZATION (✓)	OTHER ORGANIZATION (GIVE NAME)	AT FIXED INTERVALS (✓)	BEFORE OR AFTER USE (✓)	BEFORE AND AFTER USE (✓)	ONLY AFTER REPAIR (✓)	ONLY WHEN NEW (✓)	
Plessey STD 9006	Jul 1976		N.O.T.C.		✓				

022-2

#2 001545
007508
120'4800, F022

ANSE 000295
5464
(C4049)
#1 U020118

TR 268, 530-531, 551, 578, 582, 592, 740-741, 1320-1321,
1338, 1339, 1449-1453, 1541-1548, 1702-1704, 1720-1721,
1846-1851, 1854, 1872, 2095, 2100-2101, 2127-2128,
2381, 2387-2388, 2776-2777, 2931-2933

accession no: 77-0489
DOMES

NANSEN REF. #

319086

MULDARS TRACK #

TR1544

MONITOR: CONTACT

MARY Hollinger

LOCATION OF F022 SOURCE

Archives

RECORD ALL ERRORS FOUND

CONSEC(S)

25

ERRORS FOUND

non-ascending depth

NANSEN REF. #

319087

MULDARS TRACK #

TR 1545

MONITOR: CONTACT

M. Hollinger

LOCATION OF FO22 SOURCE

Archives (TR 1545)

RECORD ALL ERRORS FOUND

CONSEC(S)

ERRORS FOUND

16

rec'd # 985 contains duplicate
depth (4923) - deleted rec'd

23

rec'ds 892 - 991 contain
duplicate depths only - deleted
these rec'ds

rec'd 891 contains 2 duplicate
depths - 3958 + 3959
delete these depths

NANSEN REF. #

319055

MULDARS TRACK #

7R1516

DMSTR022-C.

MONITOR: CONTACT

KUHN

LOCATION OF F022 SOURCE

FRONTIER 1R1516

RECORD ALL ERRORS FOUND

CONSEC(S)

0032
0033
0034

ERRORS FOUND

FILE - INVENTORY
OF
CALIBRATION

Muldars Corrections made 9/15/83 - m Lewis

Password:

accNo	fleA	refNo	proj	inst	ship	startDate	cruise	catId
7700489	F022	TR1541	0080	313F	310C	1975/08/29	RP8-LEG1	304200
7700489	C022	319083	0080	313F	310C	1975/08/29	TR1541	304201
7700489	F022	TR1542	0080	313F	310C	1975/09/22	RP8-LEG2	304202
7700489	C022	319084	0080	313F	310C	1975/09/22	TR1542	304203
7700489	F022	TR1543	0080	313F	310C	1975/10/26	RP8-LEG3	304204
7700489	C022	319085	0080	313F	310C	1975/10/26	TR1543	304205
7700489	F022	TR1544	0080	313F	310C	1976/02/18	RP8-LEG6	304206
7700489	C022	319086	0080	313F	310C	1976/02/18	TR1544	304207
7700489	F022	TR1545	0080	313F	310C	1976/03/27	RP8-LEG5	304208
7700489	C022	319087	0080	313F	310C	1976/03/27	TR1545	304209
7700489	F022	TR1546	0080	313F	310C	1976/04/27	RP8-LEG6	304210
7700489	C022	319088	0080	313F	310C	1976/04/27	TR1546	304211
7700489	F022	TR1547	0080	313F	310C	1976/07/31	RP8-LEG7	304212
7700489	C022	319089	0080	313F	310C	1976/07/31	TR1547	304213
7700489	F022	TR1548	0080	313F	310C	1976/08/28	RP8-LEG8	304214
7700489	C022	319090	0080	313F	310C	1976/08/28	TR1548	304215

(16 rows affected)

Password:

accNo	fleA	refNo	ship	staCnt	recCnt	startDate	endDate
7700489	F022	TR1541	310C	50	5755	75/08/29	75/09/13
7700489	C022	319083	310C	50	83	75/08/29	75/09/13
7700489	F022	TR1542	310C	68	7161	75/09/22	75/10/13
7700489	C022	319084	310C	68	102	75/09/22	75/10/13
7700489	F022	TR1543	310C	16	1117	75/10/26	75/11/12
7700489	C022	319085	310C	16	17	75/10/26	75/11/12
7700489	F022	TR1544	310C	38	5674	76/02/18	76/03/13
7700489	C022	319086	310C	38	63	76/02/18	76/03/13
7700489	F022	TR1545	310C	24	21598	76/03/27	76/04/14
7700489	C022	319087	310C	24	69	76/03/27	76/04/14
7700489	F022	TR1546	310C	37	12561	76/04/27	76/05/04
7700489	C022	319088	310C	37	77	76/04/27	76/05/04
7700489	F022	TR1547	310C	7	706	76/07/31	76/08/02
7700489	C022	319089	310C	7	14	76/07/31	76/08/02
7700489	F022	TR1548	310C	17	3376	76/08/28	76/08/31
7700489	C022	319090	310C	17	34	76/08/28	76/08/31

(16 rows affected)