B. SCIENTIFIC CONTENT

Include enough information concerning manner of observation, instrumentation, analysis, and data reduction routines to make them understandable to future users. Furnish the minimum documentation considered relevant to each data type. Documentation will be retained as a permanent part of the data and will be available to future users. Equivalent information already available may be substituted for this section of the form (i.e., publications, reports, and manuscripts describing observational and analytical methods). If you do not provide equivalent information by attachment, please complete the scientific content section in a manner similar to the one shown in the following example.

EXAMPLE (HYPOTHETICAL INFORMATION)

NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING		
Salinity	Salinity For na		Inductive Salinometer (Hytech model S 510)	N/A (not applicable)		
		STD Bissett-Berman Model 9006	N/A	Values averaged over 5-meter intervals		
Water color	Forel scale	Visual comparison with Forel bottles	N/A	N/A		
Sediment size	d units and percent by weight	Ewing corer	Standard sieves. Carbonate fraction removed by acid treatment	Same as "Sedimentary Rock Manual," Folk 165		

(SPACE IS PROVIDED ON THE FOLLOWING TWO PAGES FOR THIS INFORMATION)

B. SCIENT FIC CONTENT

			NIA 1 PIA 1	
NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING • TECHNIQUES WITH FILTERING AND AVERAGING
Water Temp (15m)	ه د	YSI		
Current	cm/sec	7 AMF VACM	·	
Directon	degrees of arc	AMF VACM		
			1	
	•			
	1		:	
				<u>.</u>
		T		
	:	2 4		

B. SCIENTIFIC CONTENT

B. SCIENTIFIC CONTENT											
NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING							
				·							
	,										
			·								
				·							
i											
2419	<u> </u>										

C. DATA FORMAT

This information is requested only for data transmitted on punched cards or magnetic tape. Have one of your data processing specialists furnish answers either on the form or by attaching equivalent readily available documentation. Identify the nature and meaning of all entries and explain any codes used.

- 1. List the record types contained in your file transmittal (e.g., tape label record, master, detail, standard depth, etc.).
 - 2. Describe briefly how your file is organized.
 - 3-13. Self-explanatory.
 - 14. Enter the field name as appropriate (e.g., header information, temperature, depth, salinity.
 - 15. Enter starting position of the field.
- 16. Enter field length in number columns and unit of measurement (e.g., bit, byte, character, word) in unit column.
- 17. Enter attributes as expressed in the programming language specified in item 3 (e.g., "F 4.1," "BINARY FIXED (5.1)").
- 18. Describe field. If sort field, enter "SORT 1" for first, "SORT 2" for second, etc. If field is repeated, state number of times it is repeated.

C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

	S CONTAINED IN THE TRANSMITE ENTIFYING EACH RECORD TYP	
Format	005, mag Tape	
	•	
	· · · · · · · · · · · · · · · · · · ·	
2. GIVE BRIEF DESCRI	PTION OF FILE ORGANIZATION	
		,
3. ATTRIBUTES AS EXI	PRESSED IN PL-1	ALGOL COBOL LANGUAGE
	FORTRAN	LANGUAGE
4. RESPONSIBLE COMP	UTER SPECIALIST:	
NAME AND	PHONE NUMBER	k Foreman
ADDRESS		
COMPLETE THIS	SECTION IF DATA ARE ON MAG	NETIC TAPE
5. RECORDING MODE	BCD BINARY	9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH
	ASCII EBCDIC	
		10. END OF FILE MARK
C NUMBER OF TRACK		OCTAL 17
6. NUMBER OF TRACK (CHANNELS)	SEVEN	
	NINE	11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS
		OF DATA TYPE, VOLUME NUMBER)
7. PARITY		
	ODD	
9 DENEITY	EVEN	
8. DENSITY	200 BPI 1600 BPI	
	556 BPI	12. PHYSICAL BLOCK LENGTH IN BYTES
	<u>=</u>	
	800 BPI	13. LENGTH OF BYTES IN BITS
	LJ	

NOAA FORM 24-18

LIST RECORD TYPES CONTAI			_E	ISER THA	£
		•			
· . ·					
<u> </u>	· · · · · · · · · · · · · · · · · · ·				
SIVE BRIEF DESCRIPTION O	F FILE ORGANIZATIO	ON		· ·	
	• .	·		·	
·	ı				
ATTRIBUTES AS EXPRESSED	DIN PL-1 FORTRÂN	ALGOL	COBOL LANG	UAGE	•
RESPONSIBLE COMPUTER SINAME AND PHONE ADDRESS ADA COMPLETE THIS SECTION RECORDING MODE	PECIALIST: NUMBER D 752	AGNETIC TAPE 9. LENGTH RECORD	DIS ANG	•	-634
RESPONSIBLE COMPUTER SI NAME AND PHONE ADDRESS A A COMPLETE THIS SECTIO RECORDING MODE AS NUMBER OF TRACKS	FORTRAN PECIALIST: NUMBER D 252 SHIN GTS N IF DATA ARE ON MA	AGNETIC TAPE 9. LENGTH RECORD	DIS AC	DC _ 202	
RESPONSIBLE COMPUTER SI NAME AND PHONE ADDRESS COMPLETE THIS SECTIO RECORDING MODE AS NUMBER OF TRACKS (CHANNELS) SI	FORTRAN PECIALIST: NUMBER D 252 SHIN G TB N IF DATA ARE ON MA CD BINARY SCII SEBCDIC	AGNETIC TAPE 9. LENGTH RECORD 10. END OF F	DE INTER- GAP (IF KNOWN FILE MARK N-PAPER LABE OR NAME AND TYPE, VOLUM	OCTAL 17 CL DESCRIPTION (III SOME LAY SPECIF E NUMBER)	NG LUDIE
RESPONSIBLE COMPUTER SI NAME AND PHONE ADDRESS COMPLETE THIS SECTIO RECORDING MODE BOTH NUMBER OF TRACKS (CHANNELS) PARITY	FORTRAN PECIALIST: NUMBER D 252 SHIN GTE N IF DATA ARE ON MA CD BINARY SCII SEBCDIC EVEN	AGNETIC TAPE 9. LENGTH RECORD 10. END OF F	DIS AND DE INTER- GAP (IF KNOWN TILE MARK N-PAPER LABE	OCTAL 17 CL DESCRIPTION (III SOME LAY SPECIF E NUMBER)	NG LUDIE
RESPONSIBLE COMPUTER SI NAME AND PHONE ADDRESS COMPLETE THIS SECTIO RECORDING MODE BOTH ASSECTION RECORDING MODE ASSECTION	FORTRAN PECIALIST: NUMBER D 757 SHIN G 78 N IF DATA ARE ON MA CD BINARY SCII SEBCDIC EVEN INE	AGNETIC TAPE 9. LENGTH RECORD 10. END OF F	DIS JAS DIS JAS DE INTER- GAP (IF KNOWN TILE MARK N-PAPER LABE OR NAME AND TYPE, VOLUM	OCTAL 17 CL DESCRIPTION (III SOME LAY SPECIF E NUMBER)	SCI.UDE

USCOMM-DC 44289-P72

NOAA FORM 24-13

NOTES AND CORRECTIONS

PARAMETER	DESCRIPTION	SC
	• • •	
FILE HEADER RECORD	ALWAYS '1'	10
STATION	FIVE-CHARACTER BUDY STATION IDENTIFIER	11
SEQUENCE .	X: - FILE HEADER NUMBER	16
TEXT	44-CHARACTERS FOR OPTIONAL COMMENTS	17
STATION HEADER RECORD	ALWAYS '2'	10
STATION	SEE RECORD '1'	11
LATITUDE	DDMMSS PLUS HEMISPHERE 'N' OR 'S'	16
LONGITUDE	DDDMMSS PLUS HEMISPHERE 'E' OR 'W'	23
SENSOR DEPTH	XXXX - METERS TO TENTHS	31
WATER DEPTH Sensor Serial Number	XXXX - METERS TO TENTHS FOUR-CHARACTER SERIAL NUMBER	35 39
BLANKS	FOUR CHARACTER SERIAL NUMBER	43
DATA RECORD	ALWAYS '3'	10
STATION	SEE RECORD '1'	11
DATE	YYMMDD OBSERVED	16
TIME	XXXX - HOURS TO HUNDREDTHS	22
CURRENT DIRECTION	XXX - WHOLE DEGREES FROM TRUE NORTH	26
CURRENT SPEED TEMPERATURE	XXXX - WHOLE CM/SEC	29 33
PRESSURE	XXX - WATER (DEGREES C TO TENTHS) XXXX - WATER (KG/SQ CM TO HUNDREDTHS)	36
CONDUCTIVITY	XXXX - WATER (RG/SQ CM TO HONDREDTHS)	40
INCLINOMETER ANGLE	XX - METER TILT OFF VERTICAL (WHOLE	44
	DEGREES)	
WIND DIRECTION	XXX - TRUE DIRECTION FROM WHICH WIND IS BLOWING (IN WHOLE DEGREES)	16
WIND SPEED	XXXX - CM/SEC	49
SEA DIRECTION	XXX - TRUE DIRECTION FROM WHICH	53
	DOMINANT WAVES ARE COMING (WHOLE DEGREES)	
SEA HEIGHT	XXX - DOMINANT WAVES (CM)	56
SEA PERIOD	XX - DOMINANT WAVES (SECONDS)	59

	RECORD NAME								
	14. FIELD NAME	15. POSITION FROM - 1 MEASURED	16. LEN	GTH	17. ATTRIBUTES	18. USE AND MEANING			
		l IN	NUMBER	UNITS					
			<u> </u>						
		į							
			<u>:</u>						
			,	i					
	ļ				·				
4									
	NOAA FORM 24-13								

14. FIELD NAME	FROM-1 MEASURED		17. ATTRIBUTES	18. USE AND MEANING		
	(e.g., bits, bytes)	NUMBER	UNITS			
	(e.g., bita, bytea)	-				
				·		
	- }			1		
			1			
				1		
	1					
	· ·	<u> </u>]]		
					·	
	Ì				·	
			1			

RECORD NAME _ 15. POSITION 16. LENGTH FROM - 1 MEASURED 14. FIELD NAME 17. ATTRIBUTES 18. USE AND MEANING IN_ NUMBER UNITS (e.g., bits, bytes)

RECORD NAME __ FROM-1
MEASURED 14. FIELD NAME 17. ATTRIBUTES | 18. USE AND MEANING 'IN NUMBER UNITS (e.g., bits, bytes)

D. INSTRUMENT CALIBRATION

This calibration information will be utilized by NOAA's National Oceanographic Instrumentation Center in their efforts to develop calibration standards for voluntary acceptance by the oceanographic community. Identify the instruments used by your organization to obtain the scientific content of the DDF (i.e., STD, temperature and pressure sensors, salinometers, oxygen meters, velocimeters, etc.) and furnish the calibration data requested by completing and/or checking ("\sqrt{""}) the appropriate spaces. Add the interval time (i.e., 3 months, 6 months, 9 months, etc.) if the fixed interval calibration cycle is checked.

INSTRUMENT TYPE (MFR., MODEL NO.)	DATE OF LAST CALIBRATION	INSTRUMENT WAS	CALIBRATED BY	CHECK ONE: INSTRUMENT IS CALIBRATED					INSTRU- MENT IS
		YOUR ORGANIZATION	OTHER ORGANIZATION (GIVE NAME)	ĀT FIXED Intervals	BEFORE OR After USE	BEFORE AND AFTER USE	ONLY AFTER REPAIR	ONLY WHEN NEW	NOT CALI- Brated
	,	(√)	, , , , , , , , , , , , , , , , , , , ,	(√)	(1/1)	(√)	(√)	(\/)	(√)
								1	
									<u>.</u>
						_	-		
								<u> </u>	
					·				
							_		
]	