ACCESSION NUMBER

79-0069

DDF 4:3:01

442-4900 (commercial)

399-4900 (FTS)

#### DATA DOCUMENTATION FORM

TR3870

NOAA FORM 24-13

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEANOGRAPHIC DATA CENTER
RECORDS SECTION
ROCKVILLE, MARYLAND 20852

FORM APPROVEL

This form should accompany all data submissions to NODC. Section A, Originator Identification, must be completed when the data are submitted. It is highly desirable for NODC to also receive the remaining pertinent information at that time. This may be most easily accomplished by attaching reports, publications, or manuscripts which are readily available describing data collection, analysis, and format specifics. Readable, handwritten submissions are acceptable in all cases. All data shipments should be sent to the above address.

#### A. ORIGINATOR IDENTIFICATION

THIS SECTION MUST BE COMP	LETED BY DONOR	OR ALL D	ATA TRANSMIT	TALS			
1. NAME AND ADDRESS OF IN	STITUTION, LABOR	ATORY, OF	R ACTIVITY WIT	H WHICH SUBM	TTED DATA AF	RE ASSOCIATE	
Joel Cline Pacific Marine E 3711 - 15th Aven Seattle, WA 981	ue NE	iborator	y/ERL/NOAA				
2. EXPEDITION, PROJECT, O DATA WERE COLLECTED	R PROGRAM DURING	WHICH		IBER(S) USED E IS SHIPMENT	Y ORIGINATOR	TO IDENTIFY	
OCSEAP (Bureau o Research Unit 15		ent)	780828				
4. PLATFORM NAME(S)	5. PLATFORM TYPE (E.G., SHIP, HUO		6. PLATFORM A NATIONALIT			TES	
			PLATFORM	OPERATOR	FROM: MODAY,YR	TO: MO/DAY/	
DISCOVERER RP-4-DI-78B-II	Ship		USA	USA -	08/28/78	09/06/78	
8. ARE DATA PROPRIETARY			SE DARKEN ALL				
IF YES, WHEN CAN TH FOR GENERAL USET				GENERAL AR	EA		
9. ARE DATA DECLARED NA	TIONAL	100" 120"	140° 188° 188° 140° 140	. 128. 108. M. 80.	44* 78* 8* 20*	40" 50" 90" 100"	
II.E., SHOULD THEY BE IN DATA CENTERS HOLDINGS TIONAL EXCHANGE?)	7/6 G 2-47 80	277 279 277 279 277 160 160 160 178 124 163 168 169 169	227 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1997 E47 2073 IUA 037 077	104 000 70 ·		
DATA SHOULD BE ADDRESS PHONE NUMBER (AND ADDRESS OF THAN IN ITEM-I)  Dr. Joel Cline PMEL/ERL/NOAA	90 30 30 30 30 30 30 30 30 30 30 30 30 30	02   Dia 120   115 127   127 128   127 129   129 120   120 120   120 1	310 30 30 30 30 30 30 30 30 30 30 30 30 30	336371	032 077 531 326 847 982 7 03 982 439 440 657 4470 511 536		

# B. SCIENTIFIC CONTENT

		B. SCIENTIFIC CC		
NAME OF DATA FIELD	REPORTING UNITS OR CODE	METHODS OF OBSERVATION AND INSTRUMENTS USED (SPECIFY TYPE AND MODEL)	ANALYTICAL METHODS (INCLUDING MODIFICATIONS) AND LABORATORY PROCEDURES	DATA PROCESSING TECHNIQUES WITH FILTERING AND AVERAGING
Low molecular weight hydro- carbons: methane, ethane, ethylene, propane propylene, n- butane, iso- butane, ethane + ethylene and propane + propy- lene	nannoliter per liter (STP) nl/l	Samples were taken from(R) standard 5 and 10-1 Niskin samplers vertically placed with a Rosette sampler	See attached sheet.	See attached sheet.
		·		

Record Type 0 -	0 in Col 10	
Record Type 1 -	1 in Col 10	
Record Type 5 -	5 in Col 10	
Record Type 6 -	o in coi lu	
		•
······································		
	TICN OF FILE ORGANIZATION	
	d of data from 1 cruise	
ecord type 0 i	s a cruise header card;	record type 1 is a station description
ecord type 6 i	s a continuation of rec	d; record type 5 is a data listing card;
ecora type o i	s a continuation of reci	ord type 5.
	,	
	·	
TTRIBUTES AS EXP	RESSED IN [ ]PL-1 [	ALGOL COBOL
TTRIBUTES AS EXP	RESSED IN PL-1 [	ALGOL COBOL  LANGUAGE
TTRIBUTES AS EXP	RESSED IN PL-1 [X] FORTRAN	ALGOL COBOL LANGUAGE
	` <b>χ</b> ] FORTRAN . [.	ALGOL COBOL LANGUAGE
ESPONSIBLE COMPL	'X)FORTRAN	LANGUAGE
ESPONSIBLE COMPL NAME AND	X) FORTRAN ()  JTER SPECIALIST: PHONE NUMBER Dr. Joe	language  1 Cline (FTS 399-4900; (206) 442-4900)
ESPONSIBLE COMPL NAME AND	'X)FORTRAN	1 Cline (FTS 399-4900; (206) 442-4900)
ESPONSIBLE COMPL NAME AND ADDRESS	X) FORTRAN ()  JTER SPECIALIST: PHONE NUMBER Dr. Joe	language  1 Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S	X) FORTRAN !  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,	LANGUAGE    Cline (FTS 399-4900; (206) 442-4900)   Seattle, WA 98105
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S	X) FORTRAN    JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IS DATA ARE ON MAGN  [] BCD [] BINARY	language  1 Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S	X) FORTRAN !  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,	LANGUAGE    Cline (FTS 399-4900; (206) 442-4900)   Seattle, WA 98105
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S	X) FORTRAN    JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IS DATA ARE ON MAGN  [] BCD [] BINARY	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105 ETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH
ESPONSIBLE COMPO NAME AND ADDRESS COMPLETE THIS S SCORDING MODE	X FORTRAN    JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IS DATA ARE ON MAGN  BCD BINARY  ASCH X FECDIC	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  EFTIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S SCORDING MODE	X) FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IF DATA ARE ON MAGN  [] BCD [] BINARY  [] ASCH X FECDIC	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105 ETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH
ESPONSIBLE COMPO NAME AND ADDRESS COMPLETE THIS S SCONDING MODE	X) FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IF DATA ARE ON MAGN  BCD BINARY  ASCH X FECDIC  [] SEVEN	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  EFTIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S ECONDING MODE	X) FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IF DATA ARE ON MAGN  [] BCD [] BINARY  [] ASCH X FECDIC	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  SETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION)
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S ECONDING MODE	X) FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IF DATA ARE ON MAGN  BCD BINARY  ASCH X FECDIC  [] SEVEN	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  SETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD
ESPONSIBLE COMPL NAME AND ADDRESS  COMPLETE THIS S SCORDING MODE  UMBER OF TRACKS (CHANNELS)	X FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IS DATA ARE ON MAGN  BCD BINARY  SEVEN  SEVEN	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  SETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)
ESPONSIBLE COMPL NAME AND ADDRESS  COMPLETE THIS S SCORDING MODE  UMBER OF TRACKS (CHANNELS)	X) FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IF DATA ARE ON MAGN  BCD BINARY  ASCH X FECDIC  [] SEVEN	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  SETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)
ESPONSIBLE COMPL NAME AND ADDRESS  COMPLETE THIS S SCONDING MODE  UMBER OF TRACKS (CHANNELS)	X FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IS DATA ARE ON MAGN  BCD BINARY  SEVEN  SEVEN	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  SETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)
ESPONSIBLE COMPONAME AND ADDRESS  COMPLETE THIS SECONDING MODE  UMBER OF TRACKS (CHANNELS)	X FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  GECTION IF DATA ARE ON MAGN  BCD BINARY  ASCH X FECDIC  SEVEN  NINE	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  SETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S ECONDING MODE UMBER OF TRACKS (CHANNELS)	JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE, SECTION IS DATA ARE ON MAGN  BOD BINARY  SEVEN  MINE  JODD  EVEN	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  SETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S ECONDING MODE UMBER OF TRACKS (CHANNELS)	X FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IF DATA ARE ON MAGN  BCD BINARY  SEVEN  SEVEN  SEVEN  200 EPI X 1600 BPI	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  ELIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN)  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)  7808788888888888888888888888888888888
ADDRESS  COMPLETE THIS S SECONDING MODE	JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE, SECTION IS DATA ARE ON MAGN  BCD BINARY  ASCH XFBCDIC  SEVEN  NINE  200 EPI X 1600 SPI  1556 BPI	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  ETIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN)  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)  12. PHYSICAL BLOCK LENGTH IN BYTES
ESPONSIBLE COMPL NAME AND ADDRESS COMPLETE THIS S ECONDING MODE UMBER OF TRACKS (CHANNELS)	X FORTRAN  JTER SPECIALIST: PHONE NUMBER Dr. Joe PMEL, 3711 15th Ave NE,  SECTION IF DATA ARE ON MAGN  BCD BINARY  SEVEN  SEVEN  SEVEN  200 EPI X 1600 BPI	Cline (FTS 399-4900; (206) 442-4900) Seattle, WA 98105  ELIC TAPE  9. LENGTH OF INTER- RECORD GAP (IF KNOWN)  10. END OF FILE MARK  11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUD ORIGINATOR NAME AND SOME LAY SPECIFICATION OF DATA TYPE, VOLUME NUMBER)  7808788888888888888888888888888888888

# C. DATA FORMAT

COMPLETE THIS SECTION FOR PUNCHED CARDS OR TAPE, MAGNETIC TAPE, OR DISC SUBMISSIONS.

	CONTAINED IN THE TRANSMITTENTIFYING EACH RECORD TYPE	
·		
		·
CIVE BRIEF DESCRIE	PTION OF FILE ORGANIZATION	
E. GIVE BRIEF DESCRIP	TION OF FILE ORGANIZATION	<del> </del>
· · · · · · · · · · · · · · · · · · ·		
l		!
		·
·		
3. ATTRIBUTES AS EXP	PRESSED IN PL-1 FORTRAN	ALGOL COBOL LANGUAGE
4. RESPONSIBLE COMP	UTER SPECIALIST:	NOAR/EDIS/NODC - 242-6347505
ADDRESS _	WASH. DC.	20235
COMPLETE THIS	SECTION IF DATA ARE ON MAGN	ETIC TAPE
5. RECORDING MODE	BCD BINARY	9. LENGTH OF INTER- RECORD GAP (IF KNOWN) 3/4 INCH
	ASCII ZEBCDIC	<u> </u>
		10. END OF FILE MARK
6. NUMBER OF TRACK (CHANNELS)	S SEVEN	
	NINE	11. PASTE-ON-PAPER LABEL DESCRIPTION (INCLUDE ORIGINATOR NAME AND SOME LAY SPECIFICATIONS OF DATA TYPE, VOLUME NUMBER)
		00 9440 (SL)
7. PARITY	<b>2</b> 000	00 7770 (3-)
8. DENSITY	EVEN	_
	200 BPI 2600 BPI	DS N= TR 38 70
	556 BPI	DSN= TR38 76  12. PHYSICAL BLOCK LENGTH IN BYTES
	800 BPI	13. LENGTH OF BYTES IN BITS
		- 80
NOAA FORM 24-13	· · · · · · · · · · · · · · · · · · ·	USCOMM-DC 44289-P7:

# RECORD FORMAT DESCRIPTION

RECORD NAME Hydrocarbon I Header Record -Record Type 0

DNAME	15. POSITION FROM-1 MEASURED IN Bytes	1	Стн	17. ATTRIBUTES	18. USE AND MEANING
	(n.g., bits, byles)	NUMBER	UNITS		
File Type	1	3	Bytes	А3	Always '043'
File Identifier	4	6	Bytes	16	'YYMMDD' or unique cruise number
Record Type	10	1	Bytes	11	Always '0'
Vessel	11	11	Bytes	A11	Left justified
Cruise Number	22	6	Bytes	А6	
Inclusive Cruise Dates	28	17	Bytes	A17	'YY/MM/DD-YY/MM/DD'
Senior Scientist	45	19	Bytes	A19	Left justified
Investigator or Institution	64	17	Bytes	A17	Left justified
<b>)</b> .					
					·
			<b>.</b>		
<b>j</b>					
OAA FORM 24-13		L			USCOMM-DC 442.9-

# RECORD FORMAT DESCRIPTION

RECORD NAME Hydrocarbon I Station Header\_Record Type 1

ID NAME	15. POSITION FROM - 1 MEASURED	16. LEN	<b>Б</b> ТН	17. ATTRIBUTES	18. USÉ AND MÉANING
	(c.g., bits, bytes)	NUMBER	UNITS		
File Type	1	3	Bytes	А3	Always '043'
File Identifier	4	6	Bytes	16	'YYMMDD' or unique cruise number
Record Type	10	1	Bytes	11	Always '1'
Station Number	11	5	Bytes	A5	
Sequence Number	16	2	Bytes	12	
Latitude,					
Degrees	18	2	Bytes	12	
Minutes	20	4	Bytes	14	To hundredths
Hemisphere	24	1.	Bytes	Al	'N' or 'S'
Longitude,					
rees	25	3	Bytes	13	
ninutes	. 28	4	Bytes	14	To hundredths
Hemisphere	32	1	Bytes	Al	'E' or 'W'
Year	33	2	Bytes	12	
Month ·	35	2	Bytes	12	
Day	37	2	Bytus	12	G.M.T.
Hour	39	2	Bytes	12	
Minute	41	2	Bytes	12	
Depth to Bottom	43	5	Bytes	15	Whole meters
Cear Code	48	2	Bytes	Λ2	
Analysis Code	50	2	Bytes	A2	
Sample Type	52	2	Bytes	Λ2	'01' vertical profile '02' replicate study '03' time series
	54	27	Bytes	27X	'04' lenderway SuRFACE Transet
	<u> </u>	<u> </u>		<u> </u>	

RECORD RAME Hydrogarbon I Dana T-Record Type 5

	MEASURED Bytes		UNITE :		
	(e.g., bits, bytes)				
ile Type	1	3	Bytes	£A,	Always '043'
ile Identifier	14	6	Bytes	16	'YYMMDD' or unique cruise number
ecord Type	10	1	Bytes	Il	Always '5'
tation Number	11	5	Bytes	<b>A</b> 5	
equence Number	16	2	Bytes	15	
ample Depth	18	. 4.	Bytes	14	Whole meters
otal Volume of Sample	22	5	Bytes	15	Liters to hundredths
otal Dissolved Hydrocarbons	27	3	Bytes	13	XXX. nanoliter/liter
Sign	30	1   1 	Bytes	Al .	Positive = '+' or ' ' Negative = '-'
ponent	31	1	Bytes	Il	1-9
ethane	32	4	Eytes	14	XXXX. nanoliter/liter
Sign	36	1	Bytes	Al	Positive = '+' or ' ' Negative = '-'
Exponent	37	1	hytes	11	1–9
Trace	38	1	Bytes	Al	: <b>*</b>
Lhane	39	1.	Bytes	Iļ4	XXXX. nl/l
Sign	1,3	1	Bytes	VŢ	Positive = '+' or ' ' Negative = '-'
Exponent	1 1,1,	: ! 1 F	lytes	IJ	1-9
Trace	45	1.	ytes	VJ	*
thylene	46	4	lytes	I):	XXXX. nl/l
Sign	50	<u>.</u> !	Bytes	Al	Positive = '+' or ' ' Negative = '-'
Typonent	51	; † 1	Lytes	Il	1-9
_race	52	1	Bytes	Al	*

RECORD ROBERT DESCRIPTION
RECORD RAME Hydrocarbon I Data I (Cont'd)-Record Type 5

	FROM - 1 MEAGURED		,	1	Tel Use And Meaning
	(mBytes (mp., hito, tytes)	NUMSER	UNITS		
ropane	53	4	Bytes	IΨ	XXXX. nl/l
Sign	57	1	Bytes	Al	Positive = '+' or ' ' Negative = '-'
Exponent	58	1	  Bytes	11	1-9
Trace	59	1	Bytes	Al	. ·
Propylene	60	4	Bytes	14	XXXX. nl/l
Sign	64	1	Bytes	Al	Positive = '+' or ' ' Negative = '-'
Exponent	65	1	Bytes	11	1-9
Trace	66	1	Bytes	AJ.	*
Iso-Eutane	67	4	Bytes	14	XXXX. nl/l
Sign	71	1	Bytes	Al .	Positive = '+' or ' '
ponent	72	1	Bytes	n	1-9
Trace	73	1	Bytes	Al	*
N-Butane	74	14	Bytes	14	XXXX. nl/l
Sign	78	1	Bytes	Al	Positive = '+' or ' ' Negative = '-'
Exponent	79	1	Bytes	Il	1-9
Trace	80	1	Bytes	Al	#
					<pre># Trace Coding ' ' = no information 'l' = Trace found - too smal</pre>

RECORD NAME Hydrocarbon I Data II -Record Type 6

<u> </u>	MEARINED Bytes		ı <del>i</del>		
			UN.75		
ile Type	ı	3	Bytes	А3	Always '043'
File Identifier	14	6	Bytes	16	'YYMMDD' or unique cruise number
Record Type	10	1	Bytes	Il	Always '6'
Station Number	11	5	Bytes	<b>A</b> 5	
Sequence Number	16	2	Bytes	12	
Sample Depth	18	4	Bytes	14	In meters
Total Volume of Sample	22	5	Bytes	15	In liters to hundredths
Total Dissolved Hydrocarbons	27	3	Bytes	13	XXX. nl/l
Sign	30	1	Bytes	Al .	Positive = '+' or ' ' Negative = '-'
.ponent	31	1	Bytes	Il	1-9
Ethane + Ethylene	32	4	Eytes	14	XXXX. nl/1
Sign	36	1	Eytes	Al	Positive = '+' or ' ' Negative = '-'
Exponent	37	1	Bytes	Il	1-9
Trace	38	1	Bytes	13.	*
Propane + Propy- lene	39	L;	Eytes	I4	xxxx. nl/l
Sign	1,3	1	Bytes	Al	!   Postive = '+' or ' '   Negative = '-'
Exponent	););	1	Bytes	Il	1-9
Trace	45	1	Bytes	Il	*
Blank	! 46	35	Bytes	35X	i
XXX. and XXXX. in * Trace Coding ' = no inform ' = trace for	ation	! !			
'2' = no measur	ement due	to in	strument	uc stion limite	•

#### Detection Limit

The detection limit is defined to be the concentration equal to twice the nominal noise level. By applying this definition to actual field operational conditions, we estimate the following detection limits: methane 0.13 nl/1; ethane 0-05 nl/1; ethylene 0.07 nl/1; propane 0.04; propylene 0.05 and butanes (n-, iso-) at 0.03 nl/1.

#### Trace Concentration

A trace concentration is recorded whenever the slope criteria of the peak was not exceeded, resulting in no valid peak integration. In all cases, a trace concentration is greater than the detection limit. To flag this situation, a numeric "l" is recorded in the last column of the individual component field (see record type 5 and 6).

# Incomplete Component Separation and Invalid Analysis

In some cases, incomplete chromatography of ethane-ethylene and propane-propylene components resulted in merged peaks that were not sufficiently resolved to obtain a reliable integration. Because the response factor for components with the same carbon number are nearly the same, a single response could be recorded for the sums of the aliphatics and olefins. These results are recorded on record type 6 as ethane+ethylene, propane+propylene.

Invalid analyses are indicated by blank spaces in the individual component field in record type 5 and 6.

# Data Processing Techniques with Filtering and Averaging

The concentration of each component was calculated from the corrected peak areas and compared to specially prepared Matheson Gas Products<sup>(R)</sup> certified hydrocarbon mixtures. Each analysis represents a single measurement, except in the case where replicate analyses were performed.

# Accuracy

The accuracy of the standards is quoted by Matheson to be  $\pm 5\%$  (1 $\sigma$ ) for each component.

# Precision

The precision ( $\sigma$  total) of the method including sampling and GC analysis, based on replicate sample analysis, is estimated to be:

	σ <b>Total</b>	σ Std
methane	2%	0.4%
ethane	4%	0.5%
ethylene	5%	1.5%
propane	26%	0.6%
propylene	26%	2.6%
iso-butane	NA	NA
n-butane	NA	NA

The second column above reflects the precision error ( $\sigma$  std) determined from replicate injections of hydrocarbon standards in the ppm range.

# Analytical Methods and Laboratory Procedures

The low molecular weight hydrocarbons ( $C_1$ - $C_4$ ) were stripped from solution with ultrapure helium and condensed on activated alumina (60-80 mesh) at -296°C. Subsequent to quantitative removal of all the gases, the activated alimina trap was warmed ( $100^{\circ}C$ ) and the components chromatographed on Poropak(R) Q (8' x 3/16"), 60-80 mesh. Analysis was carried out in a Hewlett-Packard(R) model 5711 GC with a flame conization detector. Peak responses and areas were recorded on a Hewlett-Packard model(R) 3380 reporting integrator. Details of the procedure may be found in: Swinnerton, J.W. and R.A. Lamontagne. 1974. Oceanic distribution of low molecular weight hydrocarbons. Baseline measurements. Environ. Sci. Technol., 8: 657-663.

 Password:

 accNo
 fleA refNo
 proj inst ship
 startDate
 cruise
 catId

 7900069
 F144
 TR3870
 0081
 313F
 31DS
 1978/08/15
 RP4DI78B
 308917

(1 row affected)

# Password:

(1 row affected)