

В 0203 мет
на одной станции !!!

Вызе 3^й рейс

9.07.1968 - 11.08.1968

1-99

PROFESSOR VIZE 6596

99 + 109 = 208

Таблица 2

Перечень гидрологических станций, выполненных в 3 рейсе.

- 3 T
- 5 S
- 8 OZ (м/л)
- 12 Ph (с/ч)
- 13 det (мг/л)
- 16 P (мг/л)
- 18 Si (мг/л)
- 20 NO2 (мг/л)

№ станции	широта	долгота			глуб. станции	цвет и прозр.		Примечание
		1	2	3		4	5	
3.07	59°45'00"	04°42'30"	04°42'30"	99	88	-	Т S OZ Ph	
4	59°52'00"	04°57'00"	04°57'00"	130	130	-	Т S OZ Ph	
5	59°58'00"	05°13'00"	05°13'00"	410	313	-	Т S OZ Ph det P Si NO2	
6	60°03'00"	05°28'00"	05°28'00"	740	684	-	Т S	
7	60°06'00"	05°32'00"	05°32'00"	800	520	-	Т S OZ Ph det P Si NO2	
8	60°08'00"	05°39'00"	05°39'00"	930	801	-	Т S	
9	60°11'00"	05°46'00"	05°46'00"	1100	879	-	Т S OZ Ph det P Si NO2	
10	60°14'00"	05°55'00"	05°55'00"	810	696	-	Т S	
11	60°17'00"	05°59'00"	05°59'00"	650	535	-	Т S OZ Ph det P Si NO2	
12	60°22'00"	06°11'00"	06°11'00"	470	446	-	Т S	
13	60°27'00"	06°25'00"	06°25'00"	320	318	-	Т S OZ Ph det P Si NO2	
14	60°35'00"	06°44'00"	06°44'00"	340	330	-	Т S	
15	60°42'00"	07°02'00"	07°02'00"	610	642	7,5-IV	Т S OZ Ph det P Si NO2	
16	60°48'00"	07°18'00"	07°18'00"	835	846	-	Т S	
17	60°53'00"	07°31'00"	07°31'00"	870	888	7,5-IV	Т S OZ Ph det P Si NO2	
18	60°59'00"	07°48'00"	07°48'00"	790	708	9,0-IV	Т S	
19	61°03'00"	08°02'00"	08°02'00"	550	530	6,0-IV	Т S	
20	61°08'00"	08°16'00"	08°16'00"	390	331	7,0-IV	Т S	
21	61°13'00"	08°25'00"	08°25'00"	340	323	10,0-IV	Т S OZ Ph det P Si NO2	
22	61°16'00"	08°31'00"	08°31'00"	450	440	6,0-IV	Т S	
23	61°18'00"	08°35'00"	08°35'00"	650	658	7,0-IV	Т S	
24	61°20'00"	08°38'00"	08°38'00"	790	690	6,0-IV	Т S	
25	61°22'00"	08°45'00"	08°45'00"	1100	819	-	Т S OZ Ph det P Si NO2	
26	61°24'00"	08°49'00"	08°49'00"	975	924	-	Т S	
27	61°26'00"	08°52'00"	08°52'00"	800	698	-	Т S	
28	61°28'00"	08°56'00"	08°56'00"	640	631	-	Т S	
29	61°31'00"	09°01'00"	09°01'00"	307	300	6,0-IV	Т S OZ Ph det P Si NO2	
30	61°33'00"	09°04'00"	09°04'00"	150	138	6,0-IV	Т S	
31	61°35'00"	09°07'00"	09°07'00"	108	103	6,0-IV	Т S OZ Ph det P Si NO2	
32	61°37'00"	09°10'00"	09°10'00"	165	148	4,5-IV	Т S	
33	61°39'00"	09°13'00"	09°13'00"	400	384	5,5-IV	Т S OZ Ph det P Si NO2	
34	61°41'00"	09°16'00"	09°16'00"	750	713	5,0-IV	Т S	
35	61°43'00"	09°19'00"	09°19'00"	980	866	7,0-IV	Т S OZ Ph det P Si NO2	
36	61°45'00"	09°22'00"	09°22'00"	1000	922	4,0-IV	Т S	
37	61°47'00"	09°25'00"	09°25'00"	1095	1020	5,0-IV	Т S OZ Ph det P Si NO2	
38	61°49'00"	09°28'00"	09°28'00"	800	780	5,0-IV	Т S	
39	61°51'00"	09°31'00"	09°31'00"	640	602	-	Т S OZ Ph det P Si NO2	
40	61°53'00"	09°34'00"	09°34'00"	470	446	-	Т S	
41	61°55'00"	09°37'00"	09°37'00"	320	306	-	Т S OZ Ph det P Si NO2	
42	61°57'00"	09°40'00"	09°40'00"	350	345	6,4-IV	Т S	
43	61°59'00"	09°43'00"	09°43'00"	640	604	7,5-IV	Т S OZ Ph det P Si NO2	
44	62°01'00"	09°46'00"	09°46'00"	850	804	6,0-IV	Т S	
45	62°03'00"	09°49'00"	09°49'00"	875	828	7,1-IV	Т S OZ Ph det P Si NO2	
46	62°05'00"	09°52'00"	09°52'00"	880	751	5,0-IV	Т S	
47	62°07'00"	09°55'00"	09°55'00"	590	544	7,0-IV	Т S	
48	62°09'00"	09°58'00"	09°58'00"	355	344	6,0-IV	Т S	
49	62°11'00"	10°01'00"	10°01'00"	295	284	8,0-IV	Т S OZ Ph det P Si NO2	
50	62°13'00"	10°04'00"	10°04'00"	465	442	7,0-IV	Т S	
51	62°15'00"	10°07'00"	10°07'00"	630	614	-	Т S	
52	62°17'00"	10°10'00"	10°10'00"	960	879	-	Т S	
53	62°19'00"	10°13'00"	10°13'00"	1180	1102	5,2-IV	Т S OZ Ph det P Si NO2	
54	62°21'00"	10°16'00"	10°16'00"	1030	1012	5,0-IV	Т S	

	1	2	3	4	5	6	
13.07	58/7	8:4 60 06,0	05 32,0	930 811	216	4,9-IV	T S
-1-	54/6	10:58 60 08,0	05 24,5	760 753	-	4,0-IV	T S
-2-	55/5	22:45 59 58,0	05 10,5	480 466	-	-	T S 02 Ph Acc P S1 Acc
14.07	56/4	5:30 59 51,5	04 58,0	158 141	-	5,0-IV	T S
-1-	57/3	7:15 59 45,0	04 42,0	100 54	-	6,2-IV	T S 02 Ph Acc P S1 Acc
14.07	58/2	9:05 59 51,5	04 58,0	155 146	-	4,6-IV	T S
-1-	59/5	10:46 59 58,0	05 13,2	440 410	-	5,0-IV	T S 02 Ph Acc P S1 Acc
-2-	60/6	11:35 60 08,0	05 22,0	750 719	-	4,0-IV	T S
-3-	61/7	15:15 60 06,0	05 31,0	940 805	-	5,0-IV	T S 02 Ph Acc P S1 Acc
-4-	62/8	17:30 60 08,7	05 39,0	1010 968	-	6,0-IV	T S
-5-	63/9	14:28 60 11,0	05 45,5	1100 962	-	5,0-IV	T S 02 Ph Acc P S1 Acc
-6-	64/10	21:11 60 14,5	05 54,0	890 850	-	6,0-IV	T S
-7-	65/11	22:36 60 16,8	05 59,0	650 619	-	6,0-IV	T S 02 Ph Acc P S1 Acc
15.07	66/12	0:10 60 22,0	06 12,0	480 438	-	-	T S
-1-	67/13	21:28 60 27,5	06 28,0	310 294	-	-	T S 02 Ph Acc P S1 Acc
-2-	68/14	4:23 60 34,8	06 44,5	300 296	-	6,8-IV	T S
-3-	69/15	6:38 60 42,5	07 02,7	640 607	-	6,2-IV	T S 02 Ph Acc P S1 Acc
-4-	70/16	8:29 60 48,0	07 19,0	830 662	-	6,2-IV	T S
15.07	71/17	11:20 60 58,6	07 31,0	875 676	-	6,0-IV	T S 02 Ph Acc P S1 Acc
29.07	72/1	23:37 85 00,0	30 00,0	3125 3435	-	-	T S 02 Ph Acc P S1 Acc
30.07	73/2	11:34 83 05,5	30 02,0	2200 2176	22,0-II	-	T S 02 Ph Acc P S1 Acc
-1-	74/3	19:42 81 40,0	30 00,0	3400 3350	-	-	T S 02 Ph Acc P S1 Acc
31.07	75/4	14:28 80 00,0	30 00,0	2500 2462	30,0-I	-	T S 02 Ph Acc P S1 Acc
1.08	76/5	0:36 88 20,0	30 00,0	4800 4713	-	-	T S 02 Ph Acc P S1 Acc
-1-	77/6	10:37 86 40,0	30 00,0	5300 5265	38,0-I	-	T S 02 Ph Acc P S1 Acc
-2-	78/7	22:22 85 00,0	30 00,0	5800 5732	-	-	T S 02 Ph Acc P S1 Acc
2.08	79/8	7:18 83 20,0	30 00,0	5600 5540	24,0-II	-	T S 02 Ph Acc P S1 Acc
18.11	80/9	12:58 81 40,0	30 00,0	5600 5513	21,0-I	-	T S 02 Ph Acc P S1 Acc
3.08	81/10	3:34 80 00,0	30 00,0	4600 4650	4598	-	T S 02 Ph Acc P S1 Acc
-1-	82/11	13:32 88 20,0	30 00,0	4500 2696	22,0-I, II	-	T S 02 Ph Acc P S1 Acc
4.08	83/12	2:52 86 40,0	30 00,0	4500 4405	-	-	T S 02 Ph Acc P S1 Acc
13.12	84/13	15:04 85 00,0	30 00,0	5600 5053	22,0-II	-	T S 02 Ph Acc P S1 Acc
01.02	85/14	4:30 83 20,0	30 00,0	5800 5706	-	-	T S 02 Ph Acc P S1 Acc
12.18	86/15	11:55 81 40,0	30 00,0	5800 5632	28,0-II	-	T S 02 Ph Acc P S1 Acc
-1-	87/16	22:40 80 00,0	30 00,0	5000 4742	-	-	T S 02 Ph Acc P S1 Acc
8.18	88/17	30:02 88 20,0	30 00,0	4400 3685	30,0-II	-	T S 02 Ph Acc P S1 Acc
-1-	89/18	14:42 86 40,0	30 00,0	4100 3805	22,0-II	-	T S 02 Ph Acc P S1 Acc
7.08	90/19	3:00 85 00,0	30 00,0	3000 2402	-	-	T S 02 Ph Acc P S1 Acc
-1-	91/20	12:31 83 20,0	30 00,0	3600 3365	19,5-II	-	T S 02 Ph Acc P S1 Acc
-2-	92/21	23:00 81 40,0	30 00,0	3200 2538	-	-	T S 02 Ph Acc P S1 Acc
8.08	93/22	8:47 80 00,0	30 00,0	3500 3068	14,0-III	-	T S 02 Ph Acc P S1 Acc
-1-	94/23	21:36 81 40,0	30 00,0	4800 4069	-	-	T S 02 Ph Acc P S1 Acc
9.08	95/24	14:02 83 20,0	30 00,0	4700 4702	16,5-III	-	T S 02 Ph Acc P S1 Acc
10.08	96/25	4:05 85 40,0	30 00,0	5050 4651	14,0-III	-	T S 02 Ph Acc P S1 Acc
-1-	97/26	13:00 86 40,0	30 00,0	5000 4787	17,0-III	-	T S 02 Ph Acc P S1 Acc
11.08	98/27	23:48 88 20,0	30 00,0	5400 5307	-	-	T S 02 Ph Acc P S1 Acc
28.08	99/28	11:32 80 00,0	30 00,0	5200 5248	17,0-II	-	T S 02 Ph Acc P S1 Acc
	I00/I	55 47,0	20 36,0	2040		12,0-IV	56 cepni crna
	I01/I	55 59,0	II 40,0	2740		-	57 cepni crna

54
55
6 TPK
Dokument kart
Ru Brovny
zash TPKSH
log cepni

Stake	date	time	Lat	Lon	depth	3	5	12	8	18	20	13	6
100S1	8.09.68	14:00	55.4	-10.40	2050	T	S	Ph	O ₂	Si	NO ₂	chl	P
100S2	"	20:00	55.4	-10.40	2050	T	S	O ₂					
100S3	"	23:00	55.4	-10.40	2050	T	S	O ₂	Ph	P	Si		
100S4	9.09.68	01:00	55.4	-10.40	2050	T	S	O ₂					
100S5	"	05:00	"	"	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S6	"	11:00	"	"	2050	T	S	O ₂	Ph	P	Si		
100S7	"	14:00	"	"	2050	T	S	O ₂					
100S8	"	20:00	"	"	2050	T	S	O ₂					
100S9	"	23:00	"	"	2050	T	S	O ₂	Ph	P			
100S10	10.09.68	3:00	55.4	-10.40	2050	T	S						
100S11	"	5:00	"	"	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S12	"	7:53	"	"	2050	T	S						
100S13	"	11:00	"	"	2050	T	S	Ph	O ₂	P			
100S14	"	14:00	"	"	2050	T	S						
100S15	"	17:00	"	"	2050	T	S	O ₂	Ph	P	Si	NO ₂	chl
100S16	"	20:00	"	"	2050	T	S						
100S17	"	23:00	"	"	2050	T	S	O ₂	Ph	P			
100S18	11.09.68	2:00	"	"	2050	T	S						
100S19	"	4:53	"	"	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S20	"	7:53	"	"	2050	T	S						
100S21	"	11:00	"	"	2050	T	S	O ₂	Ph	P			
100S22	"	14:00	"	"	2050	T	S						
100S23	"	17:00	"	"	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S24	"	20:00	"	"	2050	T	S						
100S25	"	23:00	"	"	2050	T	S	O ₂	Ph	P			
100S26	12.09.68	2:00	"	"	2050	T	S						
100S27	"	5:00	"	"	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S28	"	8:00	"	"	2050	T	S						
100S29	"	11:00	"	"	2050	T	S	O ₂	Ph	P			
100S30	"	14:00	"	"	2050	T	S						
100S31	"	17:00	"	"	2050	T	S	O ₂	Ph	P	Si	NO ₂	
100S32	"	20:00	"	"	2050	T	S						
100S33	"	23:00	"	"	2050	T	S	O ₂	Ph	P			
100S34	13.09.68	2:00	"	"	2050	T	S						
100S35	"	5:00	"	"	2050	T	S	O ₂	chl	Ph	P	Si	NO ₂
100S36	"	8:00	"	"	2050	T	S						
100S37	"	11:00	"	"	2050	T	S	O ₂	Ph	P			
100S38	"	14:00	"	"	2050	T	S						
100S39	"	17:00	55.59	-10.40	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S40	"	20:00	55.40	-10.40	2050	T	S						
100S41	"	23:00	"	"	2050	T	S	O ₂	Ph	P			
100S42	14.09.68	7:50	"	"	2050	T	S						
100S43	"	8:30	"	"	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S44	"	11:00	"	"	2050	T	S						
100S45	"	14:00	"	"	2050	T	S	O ₂	Ph	P			
100S46	"	17:00	"	"	2050	T	S						
100S47	"	20:00	"	"	2050	T	S	O ₂	Ph	chl	P	Si	NO ₂
100S48	"	23:00	"	"	2050	T	S						
100S49	"	2:00	"	"	2050	T	S	O ₂	Ph	P			
100S50	15.09.68	5:00	"	"	2050	T	S						
100S51	"	8:00	"	"	2050	T	S	O ₂	Ph	P	chl	Si	NO ₂
100S52	"	11:00	"	"	2050	T	S						
100S53	"	14:00	"	"	2050	T	S	O ₂	Ph	P			

Station	Date	Time	Lat	Lon	Depth	Parameters
100554	16.09.68	14:00	55.40	-10.40	2050	T S
10151	16.09.68	17:00	55.59	-11.40	2740	T S O ₂ Ph P Al Si NO ₂
10152		20:00	-	-	-	T S
10153		23:00	55.40	-	-	T S O ₂ Ph P
10154	17.09.68	2:00	-	-	-	T S
10155		5:00	-	-	-	T S O ₂ Ph P Al Si NO ₂
10156		8:00	-	-	-	T S
10157		11:00	-	-	-	T S O ₂ Ph P
10158		14:00	-	-	-	T S
10159		17:00	-	-	-	T S O ₂ Ph P Al Si NO ₂
101510		20:00	55.40	-	-	T S
101511		23:00	-	-	-	T S O ₂ Ph P
101512	18.09.	2:00	-	-	-	T S
101513	18.09.68	5:00	-	-	-	T S O ₂ Ph P Al Si NO ₂
101514		8:00	55.40	-	-	T S
101515		11:00	-	-	-	T S O ₂ Ph P
101516		14:00	-	-	-	T S
101517		17:00	-	-	-	T S Ph O ₂ P Si Al NO ₂
101518		20:00	-	-	-	T S
101519		23:00	55.40	-	-	T S O ₂ Ph P
101520	19.09.	5:00	-	-	-	T S O ₂ Ph P Al Si NO ₂
101521		8:00	55.40	-	-	T S
101522		11:00	-	-	-	T S O ₂ Ph P
101523		14:00	55.40	-11.40	-	T S
101524		17:00	55.59	-11.40	-	T S Ph O ₂ P Al Si NO ₂
101525		20:00	-	-	-	T S
101526	20.09	00:00	55.40	-	-	T S O ₂ Ph P
101527		3:00	-	-	-	T S
101528		5:00	-	-	-	T S O ₂ Ph P Si Al NO ₂
101529		8:00	-	-	-	T S
101530		11:00	-	-	-	T S O ₂ Ph P
101531		14:00	55.40	-	-	T S
101532		17:00	55.40	-	-	T S O ₂ Ph P Si Al NO ₂
101533		20:00	-	-	-	T S
101534		22:50	55.40	-	-	T S O ₂ Ph P
101535	21.09	2:00	55.40	-	-	T S
101536		5:00	-	-	-	T S O ₂ Ph P Si NO ₂
101537		8:00	-	-	-	T S
101538		11:00	-	-	-	T S O ₂ Ph P
101539		14:00	55.40	-	-	T S
101540		17:00	-	-	-	T S O ₂ Ph P Al Si NO ₂
101541		19:45	55.40	-	-	T S
101542		23:00	-	-	-	T S O ₂ Ph P
101543	22.09	2:00	-	-	-	T S
101544		5:00	-	-	-	T S O ₂ Ph P Al Si NO ₂
101545		8:00	-	-	-	T S
101546		11:00	55.49	-	-	T S O ₂ Ph P
101547		14:00	55.49	-	-	T S
101548		17:00	55.59	-	-	T S Ph P O ₂ Al Si NO ₂
101549		19:50	55.40	-	-	T S
101550		22:00	55.40	-	-	T S Ph P O ₂ Al Si NO ₂
101551	23.09	2:00	-	-	-	T S
101552		5:00	-	-	-	T S Ph P O ₂ Al Si NO ₂
101553		8:00	-	-	-	T S

101 S 54	2,109.68	11:00	55.59	-11.40	2740	T S P h D P
101 S 55	- " -	11:00	13.55	-	-	T S