



Рис. 1. Схема выношенных паровод

Таблица (продолжение)

Time	1	2	3	4	5	6	7	Profiles	
Разрез 5 25									
18:40 + 23.05	867/1	62°22,0°	6113	307 40,0°	106	102	99	7	T, S, O ₂ , Ph
21:05 + 23.05	868/2	62°30,0°	-08	25,0°	180		162	13	T, S
00:25 + 24.05	869/3	62°50,0°		109 23,0°	475		447	13	T, S, O ₂ , Ph
3:07 + 24.05	870/4	63°05,0°		-10 20,0°	460		421	13	T, S
6:00 + 24.05	871/5	63°20,0°		-11 15,0°	420		404	13	T, S, O ₂ , Ph
8:46 + 24.05	872/6	63°34,5°	6125	-12 11,0°	415		400	12	T, S
11:52 + 24.05	873/7	63°50,0°		-13 08,0°	748	745	742	16	T, S, O ₂ , Ph
14:46 + 24.05	874/8	64°03,5°	6104	-14 09,0°	120		110	9	T, S
16:34 + 24.05	875/9	64°09,0°		-14 25,0°	169		149	8	
Разрез 2 4a									
9:53 + 25.05	876/2	63°37,5°	6138	-23 49,0°	1550		143	8	T, S, O ₂ , Ph
12:40 + 25.05	877/3	63°35,0°		-24 50,0°	940		318	12	T, S
15:53 + 25.05	878/4	63°14,0°		-25 50,0°	360		314	16	T, S, O ₂ , Ph
19:42 + 25.05	879/5	63°03,5°	6103	-23 50,0°	1980		1247	18	T, S
1:00 + 26.05	880/6	62°39,0°		-28 50,0°	1870		1635	21	T, S, Ph, O ₂
6:40 + 26.05	881/7	62°14,5°	6114	-30 49,0°	1650		1509	19	T, S, O ₂ , Ph
13:35 + 26.05	882/8	61°52,0°		-32 50,0°	2850		2729	21	T, S, O ₂ , Ph
16:18 + 27.05	883/9	61°27,0°		-34 58,0°	2970		2681	21	T, S, O ₂ , Ph
18:55 + 27.05	884/10	61°02,0°		-36 50,0°	2360		2300	21	T, S, O ₂ , Ph
10:35 + 27.05	885/11	60°50,0°		-37 50,0°	2915		2522	21	T, S
15:10 + 27.05	886/12	60°42,0°		-38 50,0°	3260		2708	21	T, S, O ₂ , Ph
20:55 + 27.05	887/13	60°27,0°		-39 51,5°	2730		2558	20	T, S
22:00 + 27.05	888/14	60°17,5°	1018	-40 49,0°	1880		1642	19	T, S, O ₂ , Ph
23:00 + 27.05	889/15	60°02,5°	1017	-40 49,0°	765		728	15	T, S
6:00 + 28.05	890/16	59°45,0°	1016	-42 34,0°	235		225	10	T, S, O ₂ , Ph
10:00 + 28.05	891/17	59°42,45°	1015	-43 19,0°	2065		1806	20	T, S, O ₂ , Ph

888 ~ 2 серии ~ 888
 ~ 888-25

Таблица (продолжение)

	1	2	3	4	5	6	7	Time	Profile
	Разрез 8а								
+	29.05.71	892/4	59 09,0 ^c	-44° 54,0 ^z	2110	1989	20	0:10	T, S
+	29.05	893/5	58 38,0 ^c	-45 58,0 ^c	2500	2475	20	5:28	T, S, Ph
+		894/6	58 10,0 ^c	-46 58,0 ^c	3100	2922	22	11:40 ^c	T, S, O ₂ , Ph
+		895/6a	57 38,0 ^c	-48 07,0 ^c	3430	2960	22	17:24 ^c	T, S, O ₂ , Ph
+	29.05.71 ^c 30.05.71	896/7	57 02,0 ^c	-49 13,0 ^c	3375	3156	22	23:28 ^c	T, S, O ₂ , Ph
-	30.05.71	897/8	56 30,0	-50 19,0	3670	3352	23	5:10 ^c	T, S, O ₂ , Ph
-		898/8a	56 02,0	-51 15,0	3600	350	16	10:00 ^c	T, S
-		899	55 33,0	-52 12,0	3350	3056	21	15:05 ^c	T, S, O ₂ , Ph
-		900/10	55 13,0	-52 49,5 ^c	1100	1050 ^c	17	18:05 ^c	T, S
-	30.05 ^c 31.05 ^c	901/11	55 01,0	-53 09,0	2250	2095 ⁷⁸⁸	20	21:35 ^c	T, S, O ₂ , Ph
-	30.05 ^c	902/12	54 56,5	-53 20,0	2250	2167	20	23:55 ^c	T, S
-	31.05	903/13	54 48,1	-53 43,0	555	514 ³⁰⁶	13	2:56 ^c	T, S, O ₂ , Ph
-	31.05	904/14	54 38,0	-53 50,0	300	286 ²⁴	11	4:30 ^c	T, S, O ₂ , Ph
-	31.05 ^c 01.06	905/1a	53 15,0	-50 21,0	3400	3080	22	29:45 ^c	T, S, O ₂ , Ph
-	31.05	906	51 40,0	-51 25,0	390	370 ³⁶⁸	12	9:45 ^c	T, S, O ₂ , Ph
	Разрез по 50° с. м.								
-	01.06.71	907/1	50° 00,0 ^c	-52 27,0 ^z	330	313	11	11:59 ^c	T, S, O ₂ , Ph
+	02.06 ^c 01.06	908/2	49 58,0 ^c	-50 46,0 ^c	315	306	12	22:18 ^c	T, S, O ₂ , Ph
+	2.06	909/3	50 00,0	-49 23,0	1290	1203	17	3:15 ^c	T, S, O ₂ , Ph
+	2.06 ^c	910/4	49 58,0 ^c	48 00,0	2640	2334	24	11:10 ^c	T, S, Ph
+	2.06 ^c	911/5	50 01,0	46 20,0	2875	2538	21	17:45 ^c	T, S, O ₂ , Ph
+	03.06	912/6	50 00,0	44 48,0	4125	3081	21	02:28 ^c	T, S, O ₂ , Ph ^c
+	3.06	913/7	50 00,0	43 15,1	4240	4094	23	11:15 ^c	T, S, O ₂ , Ph
+	04.06	914/8	50 01,0	41 44,0	4350	4217	23	10:32 ^c	T, S, O ₂ , Ph, Si ^c
+	4.06	915/9	50 00,0 ^c	40 10,0	4490	3350	24	6:18 ^c	T, S, O ₂ , Ph, Si ^c
+	4.06	916/10	50 00,0	38 38,0	4230	3528	23	14:25 ^c	T, S, O ₂ , Ph

910 - 2 серии аббревиатура
 912 - 2 серии
 914
 915

Таблица (продолжение)

1	2	3	4	5	6	7	Т. м. с.
+ 05.06	917/11	50 ⁰ 00,0 ^с	-37 ⁰ 05,0 ^а	4200	4090	23	23:15 ^с T, S, O ₂ , Ph
+ 5.06	918/12	50 00,0	-35 33,0 ^с	4480	4162 ¹⁴⁶⁰	24	8:30 T, S, O ₂ , Ph, Si ^с
+ 5.06	919/13	50 00,0	-34 00,0	4250	4019	23	16:55 ^с T, S, O ₂ , Ph
+ 06.06	920/14	50 00,0	-32 27,0	3800	2717	22	00:10 ^с T, S, O ₂ , Ph
+ 6.06	921/15	50 00,0	-30 53,5 ^с	3400	2980	22	7:13 ^с T, S, O ₂ , Ph
+ 6.06	922	49 53,0 ^с	-29 18,0	850	774	15	14:55 T, S, O ₂ , Ph
+ 6.06	923/16	50 00,0	-29 21,5 ^с	3230 ¹³²	3122 ³²⁴	21	19:32 ^с T, S, O ₂ , Ph
+ 07.06	924/17	50 00,0	-27 50,0 ^с	3325	3092	21	02:35 ^с T, S, O ₂ , Ph
+ 7.06	925/18	50 00,0	-26 16,0	3750	3750 ⁵⁸⁸	22	8:12:15 ^с T, S, O ₂ , Ph
+ 7.06	926/19	50 00,0	-24 47,5 ^с	3050	2733	21	20:49 ^с T, S, O ₂ , Ph
+ 08.06	927/20	50 00,0	-23 07,5 ^с	4250	4034	23	4:12 ^с T, S, O ₂ , Ph, Si ^с
+ 8.06	928/21	50 00,0	-21 40,0	4225	3907 ³⁸⁰⁴	23	13:40 ^с T, S, O ₂ , Ph
+ 8.06	929/22	49 59,6 ^с	-20 07,5 ^с	4050	3790	23	21:33 ^с T, S, O ₂ , Ph
+ 09.06	930/23	50 00,0	-18 39,0	4100	4044	23	6:22 ^с T, S, O ₂ , Ph
+ 9.06	931/24	50 00,0	-17 02,0	4800	4494	24	15:50 ^с T, S, O ₂ , Ph, Si ^с
+ 10.06	932/25	50 00,0	-15 30,0	4500	3902	23	4:25 ^с T, S, O ₂ , Ph, Si ^с
+ 10.06	933/26	50 00,0	-13 55,0	3700	3437	22	11:35 ^с T, S, O ₂ , Ph, Si ^с
+ 10.06	934/27	50 00,0	-12 25,0	2250	1901	19	18:12:58 T, S, O ₂ , Ph
+ 11.06	935/28	50 00,0	-10 52,0	200	194	9	1:10 ^с T, S, O ₂ , Ph
+ 11.06	936/29	50 00,0	-09 20,0	136	122	8	6:40 ^с T, S, O ₂ , Ph
+ 11.06	937/30	50 00,0	-07 46,0	115	114	8	12:15 ^с T, S, O ₂ , Ph
Станции на полигоне							
+ 22.06	938/1	53 21,0	-16 42,0	2820	2746 ¹⁴⁵	21	13:40 ^с T, S, O ₂ , P ^{н.с.д.}
+ 23.06	939/2	53 20,0 ^с	-17 24,0	2650	2618 ¹⁴²⁰	20	3:45 ^с T, S
+ 23.06	940/3	53 23,0 ^с	-18 04,0	2750	1787	20	7:46 ^с T, S, O ₂
+ 23.06	941/4	53 20,0	-18 52,0	2400	2308	20	11:53 ^с T, S
+ 23.06	942/5	53 20,0 ^с	-19 34,0	2500	2410 ¹⁴⁰	20	16:00 ^с T, S, O ₂ , P ^{н.с.д.}

920 - 2 серия объединен

914 - объединены 2 озона
915 - к

Таблица (продолжение)

	1	2	3	4	5	6	7	Темп	
+	23.06	013/6	53 20,0 ^с	-20 18,0 ^с	2310	2045	20		
+	23.06	014/7	53 19,0 ^с	-21 01,0 ^с	2870	2008	21	20:00 ^с	T, S
+	24.06	015/8	53 45,0 ^с	-21 00,0	2700	2430	20	13:45 ^с	T, S, O ₂
+	24.06	016/9	54 10,0 ^с	-21 00,0	3000	2493	21	03:45 ^с	T, S
+	24.06	017/10	54 34,0 ^с	-20 59,0 ^с	3000	2970	21	7:45 ^с	T, S, O ₂ , P
+	24.06	018/11	55 01,0 ^с	20 58,0 ^с	2825	2573	20	11:00 ^с	T, S
+	24.06	019/12	55 26,0 ^с	-21 00,0	2250	2012	19	15:53 ^с	T, S, O ₂
+	24.06	020/13	55 50,0 ^с	-21 00,0	1560	1337	18	19:45 ^с	T, S
+	25.06	021/14	55 50,0 ^с	-20 17,0 ^с	1680	1582	18	23:50 ^с	T, S, O ₂ , P
+	25.06	022/15	55 50,0 ^с	-19 34,0 ^с	1700	1604	19	5:50 ^с	T, S
+	25.06	023/16	55 50,0 ^с	-18 49,0 ^с	1480	1193	18	7:45 ^с	T, S, O ₂
+	25.06	024/17	55 50,0 ^с	-18 05,0 ^с	1965	1365	18	11:45 ^с	T, S
+	25.06	025/18	55 50,0 ^с	-17 24,0	775	570	14	15:53 ^с	T, S, O ₂ , P
-	25.06	026/19	55 50,0 ^с	-16 42,0	365	344	12	19:59 ^с	T, S
+	26.06	027/20	55 25,0 ^с	-16 42,0	770	794	15	23:50 ^с	T, S, O ₂
+	26.06	028/21	55 00,0	-16 42,0	1800	1606	19	3:50 ^с	T, S
+	26.06	029/22	54 38,0 ^с	-16 38,0 ^с	2400	2034	20	7:50 ^с	T, S, O ₂ , P
+	26.06	030/23	54 08,0 ^с	-16 46,0 ^с	2375	2202	19	11:50 ^с	T, S
+	26.06	031/24	53 44,0 ^с	-16 42,0	2400	2080	19	15:55 ^с	T, S, O ₂
+	26.06	032/25	53 49,0 ^с	-17 30,0	2430	2293	20	19:50 ^с	T, S
-	27.06	033/26	53 45,0	-18 08,0	2350	1554	19	23:35 ^с	T, S, O ₂ , P
+	27.06	034/27	53 45,0	-18 51,0	2560	2432	20	03:50 ^с	T, S
+	27.06	035/28	53 46,0	-19 36,0	1950	1802	19	07:50 ^с	T, S, O ₂
+	27.06	036/29	53 43,5 ^с	-20 47,0 ^с	2400	2135	20	11:55 ^с	T, S
+	27.06	037/30	54 11,0 ^с	-20 17,0 ^с	2300	2216	20	16:00 ^с	T, S, O ₂ , P
+	27.06	038/31	54 36,0	-20 17,0 ^с	2180	2048	20	19:58 ^с	T, S
+	28.06	039/32	55 00,0	-20 17,0 ^с	2000	1734	19	23:48 ^с	T, S, O ₂
								03:45 ^с	T, S

914 - абзац 2
915 - 1

Таблица (продолжение)

	1	2	3	4	5	6	7	Time	
+	20.06	013/6	53 20,0 ⁰	-20 18,0 ⁰	2910	2045	20		
+	25.06	2 ^{сентя} 014/7	53 19,0 ⁰	-21 01,0 ⁰	2870	2808	21	20:00 ⁰	T, S
+	24.06	2 ^{сентя} 015/8	53 45,0 ⁰	-21 00,0 ⁰	2700	2430	20	18:45 ⁰	T, S, O ₂
+	24.06	016/9	54 10,0 ⁰	-21 00,0 ⁰	3000	2493	21	03:45 ⁰	T, S
+	24.06	017/10	54 34,0 ⁰	-20 59,0 ⁰	3000	2970	21	7:45 ⁰	T, S, O ₂ , P
+	24.06	018/11	55 01,0 ⁰	-20 58,0 ⁰	2825	2573	20	12:00 ⁰	T, S
+	24.06	019/12	55 26,0 ⁰	-21 00,0 ⁰	2250	2012	19	15:53 ⁰	T, S, O ₂
+	24.06	050/13	55 50,0 ⁰	-21 00,0 ⁰	1560	1337	18	18:45 ⁰	T, S
+	25.06	051/14	55 50,0 ⁰	-20 17,0 ⁰	1680	1582	18	23:50 ⁰	T, S, O ₂ , P
+	25.06	052/15	55 50,0 ⁰	-19 34,0 ⁰	1700	1604	19	8:50 ⁰	T, S
+	25.06	053/16	55 50,0 ⁰	-18 49,0 ⁰	1480	1139	18	7:45 ⁰	T, S, O ₂
+	25.06	054/17	55 50,0 ⁰	-18 05,0 ⁰	1965	1365	18	11:45 ⁰	T, S
+	25.06	055/18	55 50,0 ⁰	-17 24,0 ⁰	775	570	14	15:53 ⁰	T, S, O ₂ , P
+	25.06	056/19	55 50,0 ⁰	-16 42,0 ⁰	365	345	12	19:59 ⁰	T, S
+	26.06	057/20	55 25,0 ⁰	-16 42,0 ⁰	770	734	15	25:50 ⁰	T, S, O ₂
+	26.06	058/21	55 00,0 ⁰	-16 42,0 ⁰	1800	1606	19	3:50 ⁰	T, S
+	26.06	059/22	54 38,0 ⁰	-16 38,0 ⁰	2400	2034	20	7:50 ⁰	T, S, O ₂ , P
+	26.06	060/23	54 08,0 ⁰	-16 46,0 ⁰	2975	2262	19	11:50 ⁰	T, S
+	26.06	061/24	53 44,0 ⁰	-16 42,0 ⁰	2400	2090	19	15:55 ⁰	T, S, O ₂
+	26.06	062/25	53 43,0 ⁰	-17 30,0 ⁰	2430	2293	20	19:50 ⁰	T, S
-	27.06	069/26	53 45,0 ⁰	-18 08,0 ⁰	2350	1554	19	23:55 ⁰	T, S, O ₂ , P
+	27.06	064/27	53 45,0 ⁰	-18 51,0 ⁰	2560	2432	20	03:50 ⁰	T, S
+	27.06	065/28	53 46,0 ⁰	-19 35,0 ⁰	1950	1802	19	07:53 ⁰	T, S, O ₂
+	27.06	066/29	53 43,5 ⁰	-20 47,0 ⁰	1610	1400	20	11:55 ⁰	T, S
+	27.06	067/30	54 11,0 ⁰	-20 17,0 ⁰	2300	2216	20	16:00 ⁰	T, S, O ₂ , P
+	27.06	068/31	54 36,0 ⁰	-20 17,0 ⁰	2180	2045	20	19:58 ⁰	T, S
+	28.06	069/32	55 00,0 ⁰	-20 17,0 ⁰	2000	1794	19	23:48 ⁰	T, S, O ₂
								2:45 ⁰	T, S

Таблица (продолжение)

	1	2	3	4	5	6	7	Т, мс	
+ 28.06.71	970/33	55°25,0 ^c	-20°17,0 ^c	1370	1204 ¹¹¹³	17	4:45	T, S, O ₂ , P	мет
+ 28.06.	971/34	55 25,0 ^c	-19 31,0 ^c	1510	1314 ¹¹¹⁵	18	11:53	T, S, O ₂ , P	мет
+ 28.06	972/35	55 25,0 ^c	-18 50,0 ^c	1350 ¹¹¹⁶	1315 ¹¹¹⁷	17	15:55	T, S, O ₂	
+ 28.06	973/36	55 26,0 ^c	-18 08,0 ^c	1220	1119 ¹¹²¹	17	19:52	T, S	
+ 28.06	974/37	55 25,0 ^c	-17 24,7 ^c	805	729 ¹¹²²	18	23:50	T, S, O ₂ , P	мет
+ 29.06	975/38	55 00,0 ^c	-17 25,0 ^c	880	797 ¹¹²³	15	3:50	T, S	
+ 29.06.	976/39	54 35,0 ^c	-17 25,0 ^c	1760	1586 ¹¹²⁴	19	7:55	T, S, O ₂	
+ 29.06	977/40	54 08,0 ^c	-17 26,0 ^c	2380	2120 ¹¹²⁵	20	11:50	T, S	
+ 29.06	978/41	54 10,0 ^c	-18 08,0 ^c	2400	2268 ¹¹²⁶	20	16:00	T, S, O ₂ , P	мет
+ 29.06	979/42	54 10,0 ^c	-18 59,5 ^c	1565	1421 ¹¹²⁷	18	19:50	T, S	
+ 29.06	980/43	54 10,0 ^c	-19 34,0 ^c	1260	1106 ¹¹²⁸	17	23:50	T, S, O ₂	
+ 30.06	981/44	54 35,0 ^c	-19 34,0 ^c	1450	1010 ¹¹²⁹	17	3:50	T, S	
+ 30.06	982/45	55 00,0	-19 34,0 ^c	1480	1302 ¹¹³⁰	18	7:50	T, S, O ₂ , P	мет
+ 30.06	983/46	55 00,2 ^c	-18 51,0	1290	1112 ¹¹³¹	17	11:50	T, S	
из 2-х серий + 30.06	984/47	55 00,2 ^c	-18 18,0	935	934 ¹¹³²	16	15:50	T, S, O ₂	
+ 30.06	985/48	54 30,0 ^c	-18 10,0 ^c	1270	1064 ¹¹³³	17	20:10	T, S	
+ 30.06	986/49	54 39,0	-18 51,0	1770 ¹¹³⁴	1074 ¹¹³⁵	17	23:50	T, S, O ₂ , P	мет
Повторная съемка полигона									
+ 01.07	987/1	53 20,0 ^c	-16 42,0	2750	1938 ¹¹³⁶	20	8:00	T, S, O ₂ , P	мет
+ 1.07	988/2	53 20,7 ^c	-17 24,0	2610	2262 ¹¹³⁷	20	11:53	T, S	
+ 1.07	989/3	53 20,0 ^c	-18 08,0 ^c	2650	2396 ¹¹³⁸	20	15:55	T, S, O ₂	
+ 1.07	990/4	53 20,0 ^c	-18 51,0	2400	2184 ¹¹³⁹	20	20:00	T, S	
+ 1.07	991/5	53 20,0 ^c	-19 34,0 ^c	2500 ¹¹⁴⁰	2325 ¹¹⁴¹	20	23:48	T, S, O ₂ , P	мет
+ 02.07	992/6	53 20,0 ^c	-20 17,0 ^c	2250	2171 ¹¹⁴²	20	3:53	T, S	
+ 02.07	993/7	53 20,0 ^c	-21 00,0	2900	2533 ¹¹⁴³	21	7:53	T, S, O ₂	
+ 02.07	994/8	53 46,0 ^c	-20 58,0 ^c	2520	2324 ¹¹⁴⁴	20	12:10	T, S	
+ 02.07	995/9	54 10,0 ^c	-21 00,0	2850	1561 ¹¹⁴⁵	20	15:50	T, S, O ₂ , P	мет

984 - из 2-х серий, отдельные

Таблица (продолжение)

	1	2	3	4	5	6	7	Time	Profiles	
+	02.07.71	996/10	54 32,80	-21 01,00	2970	2952	2825	20:00	T, S	
+	3.07	997/11	54 59,20	-21 00,50	2860	2971	2811	0:00	T, S, O ₂	
+	06.07	998/12	55 25,00	-21 00,00	2400	2205	2000	3:57	T, S	
+	3.07	999/13	55 50,00	-21 00,00	1600	1447	1419	7:50	T, S, O ₂ , P ^{not A}	
+	3.07	1000/14	55 50,00	-20 16,20	1860	1695	1519	11:50	T, S	
+	3.07	1001/15	55 50,00	-19 34,00	1650	1442	1441	15:45	T, S, O ₂	
+	3.07	1002/16	55 49,20	-18 50,60	1490	1427	1318	19:45	T, S	
?	+	3.07	1003/17	55 50,00	-18 08,70	1360	1320	1219	23:50	T, S, O ₂ , P ^{not A}
+	04.07	1004/18	55 50,00	-17 25,00	735	698	615	3:45	T, S	
+	4.07	1005/19	55 50,00	-16 42,00	385	390	354	7:55	T, S, O ₂	
+	4.07	1006/20	55 25,00	-16 43,00	710	284	581	11:50	T, S	
+	4.07	1007/21	55 00,00	-16 42,00	1700	1570	1511	15:45	T, S, O ₂ , P ^{not A}	
+	4.07	1008/22	54 35,00	-16 43,00	2380	245	15	19:15	T, S	
+	5.07	1009/23	54 10,00	-16 42,00	2380	2379	20	00:00	T, S, O ₂	
+	05.07	1010/24	53 45,00	-16 42,00	2350	2109	20	2:55	T, S	
+	5.07	1011/25	53 45,00	-17 25,00	2400	2358	20	07:50	T, S, O ₂ , P ^{not A}	
+	5.07	1012/26	53 44,00	-18 12,00	2400	1327	19	11:50	T, S	
из 2-х серий	+	5.07	1013/27	53 45,00	-18 51,00	2500	2122	21	16:47	T, S, O ₂
+	5.07	1014/28	53 45,00	-19 35,00	2000	1798	1395	19:50	T, S	
+	6.07	1015/29	53 45,00	-20 17,00	2380	2100	20	00:00	T, S, O ₂ , P ^{not A}	
+	06.07	1016/30	54 10,00	-20 17,00	2400	2170	20	5:55	T, S	
+	6.07	1017/31	54 35,00	-20 17,00	1930	1454	1457	8:07	T, S, O ₂	
+	6.07	1018/32	55 00,00	-20 18,00	2190	1790	19	11:50	T, S	

1013 - из 2-х серий объединен

Таблица (продолжение)							
1	2	3	4	5	6	7	
+ 05.07	1019/33	55°24,0	-20°20,0 ^c	1250	1140	17 15:45 ^c	T, S, O ₂ , P
+ 6.07	1020/34	55 25,0 ^c	-19 31,0 ^c	1310	1300 ⁵⁸⁰	18 19:50 ^c	T, S
+ 7.07	1021/35	55 25,0 ^c	-18 51,0	1350	1220 ¹¹¹⁹	17 00:00	T, S, O ₂
+ 07.07	1022/36	55 25,0 ^c	-18 08,0 ^c	1175	1062 ¹¹⁶³	" 3:45	T, S
+ 7.07	1023/37	55 25,0 ^c	-17 25,0 ^c	860	758	19 7:53	T, S, O ₂ , P
+ 7.07	1024/38	55 00,0	-17 25,0 ^c	500	648	" 11:50	T, S
+ 7.07	1025/39	54 35,0 ^c	-17 25,0 ^c	1770 ¹⁴²⁰	1770 ¹⁷⁷¹	19 15:30	T, S, O ₂
+ 7.07	1026/40	54 10,0 ^c	-17 25,0 ^c	2120	2132 ²¹¹⁹	20 19:50	T, S
+ 8.07	1027/41	54 10,0 ^c	-19 09,0	2100	1832 ¹⁸³³	" 00:05	T, S, O ₂ , P
+ 08.07	1028/42	54 10,0 ^c	-18 51,0	1550	1415	18 5:50	T, S
+ 8.07	1029/43	54 10,0 ^c	-19 34,0 ^c	1270	1159 ¹¹⁵¹	17 7:45	T, S, O ₂
+ 8.07	1030/44	54 35,0 ^c	-19 31,0 ^c	1310	1238 ¹²³⁷	" 11:45	T, S
+ 8.07	1031/45	55 00,0	-19 34,0 ^c	1500	1378 ¹³⁷⁹	18 15:45	T, S, O ₂ , P
+ 8.07	1032/46	55 00,0	-18 52,0 ^c	1280	1101 ¹¹⁰⁵	17 19:50	T, S
+ 8.07	1033/47	55 00,0	-18 08,0 ^c	920	850 ⁸⁴⁹	16 23:50	T, S, O ₂
+ 8.07	1034/48	54 35,0 ^c	-18 08,0 ^c	1290	1053 ¹⁰⁵⁴	17 3:45	T, S
+ 8.07	1035/49	54 35,0 ^c	-18 51,0	1180	997	17 7:53	T, S, O ₂ , P
Разрез № 3							
+ 16.07	1036/1	58 49,0 ^c	-05 13,0 ^c	71	60 ^c 59	8 18:27	T, S, O ₂ , P
+ 16.07	1037/2	59 06,0	-06 00,0	80	75 ^c 74	8 21:13	T, S
+ 16.07	1038/3	59 20,0	-06 42,0	520	480	19 23:45	T, S, O ₂ , P
+ 17.07	1039/4	59 31,0	-07 17,0	1040	880 ⁸⁸¹	18 2:15	T, S
+ 17.07	1040/5	59 44,0 ^c	-07 53,0 ^c	750	680	18 4:22	T, S, O ₂ , P
+ 17.07	1041/6	60 01,0 ^c	-08 45,0	1180	1101	17 7:48	T, S
+ 17.07	1042/7	60 17,0 ^c	-09 34,0 ^c	1220	1107	17 11:00	T, S, O ₂ , P
+ 17.07	1043/8	60 33,0	-10 26,0 ^c	165	154	8 14:10	T, S ^c
+ 17.07	1044/9	60 47,0 ^c	-11 10,0 ^c	420	412 ⁴¹³	12 16:40	T, S, O ₂ , P
+ 17.07	1045/10	61 00,0	-11 50,0 ^c	1120	1066 ^c 1050	18 19:48	T, S

Таблица (продолжение)

1	2	3	4	5	6	7	Time	Profiles
+ 17.07	I046/11	61°18,0	-12°40,0 ^c	I500	I333	13318	21:50 ^c	T, S, O ₂ , P ^{h=17}
+ 18.07	I047/12	61 34,0 ^c	-13 30,0 ^c	I600	I497	140618	02:10 ^c	T, S ^{h=17}
+ 18.07	I048/13	61 50,0 ^c	-14 28,0 ^c	I820	I683 ^c	1607 19	6:00 ^c	T, S, O ₂ , P ^{h=17}
+ 18.07	I049/14	62 06,0 ^c	-15 20,0 ^c	2170	I373	13	9:30 ^c	T, S ^{h=17}
+ 18.07	I050/15	62 22,0 ^c	-16 10,0 ^c	2350	I840	19	13:07 ^c	T, S, O ₂ , P ^{h=17}
+ 18.07	I051/16	62 39,0	-17 09,0	I790	I691	19	16:40 ^c	T, S ^{h=17}
+ 18.07	I052/17	62 56,0 ^c	-18 04,0 ^c	I140	I032 ^c	13	19:50 ^c	T, S, O ₂ , P ^{h=17}
+ 18.07	I053/18	63 10,0 ^c	-18 53,0 ^c	I080	981 ^c	13	22:45 ^c	T, S, O ₂ , P ^{h=17}
Разрез № 4								
+ 19.07	I054/2	64 14,0 ^c	-24 04,0 ^c	250	228	11	8:55 ^c	T, S, O ₂ , Ph ^{h=17}
+ 19.07	I055/3	64 26,0 ^c	-24 46,0 ^c	I70	154	10	11:00 ^c	T, S ^{h=17}
+ 19.07	I056/4	64 45,0	-25 32,0 ^c	I70	155 ^c	157	13:25 ^c	T, S, O ₂ , Ph ^{h=17}
+ 19.07	I057/5	65 00,0	-26 40,0 ^c	I36	I78 ^c	11 9	16:10 ^c	T, S ^{h=17}
+ 19.07	I058/6	65 18,0	-27 41,0 ^c	720	694	15	17:57 ^c	T, S, O ₂ , Ph ^{h=17}
+ 19.07	I059/7	65 33,0	-28 41,0 ^c	I120	I038 ^c	16	21:47 ^c	T, S ^{h=17}
+ 19.07	I060/8	65 44,0 ^c	-29 29,0 ^c	405	280 ^c	11	23:56 ^c	T, S, O ₂ , Ph ^{h=17}
+ 20.07	I061/1	66 13,0 ^c	-23 55,0 ^c	80	80 ^c	7	11:28 ^c	T, S, O ₂ , Ph ^{h=17}
Разрез № 6								
+ 21.07	I062/3	67 44,0 ^c	-21 16,0 ^c	830	764	15	5:53 ^c	T, S, O ₂ , Ph ^{h=17}
+ 21.07	I063/5	67 36,0 ^c	-20 42,0	520	470 ^c	12	8:30 ^c	T, S, O ₂ , Ph ^{h=17}
+ 21.07	I064/4	67 19,0 ^c	-19 36,0	385	852 ^c	13	11:20 ^c	T, S ^{h=17}
+ 21.07	I065/3	67 02,0 ^c	-18 36,0	315	802 ^c	11	13:50 ^c	T, S, O ₂ , Ph ^{h=17}
+ 21.07	I066/2	66 47,0 ^c	-17 38,0 ^c	315	800 ^c	11	16:19 ^c	T, S ^{h=17}
+ 21.07	I067/1	66 36,0	-16 55,0 ^c	256	240 ^c	11	17:20 ^c	T, S, O ₂ , Ph ^{h=17}
Разрез № I								
+ 21.07	I068/20	66°18'0	-19°58'0 ^c	280	250 ^c	11	23:12 ^c	T, S, O ₂ , P ^{h=17}
+ 22.07	I069/19	66 14,0 ^c	-19 14,0 ^c	I50	I40 ^c	8	1:55 ^c	T, S ^{h=17}
+ 22.07	I070/18	66 03,0	-12 30,0	240	298 ^c	10	9:23 ^c	T, S, O ₂ , P ^{h=17}

Таблица (продолжение)

							Time	Profiles
+	22.07	I071/17	65°49'8"	11°27'0"	550	308 ⁵⁰⁷ 13	0:00 ^c	T, S
+	22.07	I072/16	65 33,0	- 10 23,0 ^c	780	716 ⁷⁴⁵ 15	3:53 ^c	T, S, P ^h
+	22.07	I073/15	65 20,0 ^c	- 09 21,0 ^c	805	752 ⁷⁵⁰ 15	15:20 ^c	T, S
+	22.07	I074/14	65 04,0 ^c	- 08 19,0 ^c	1580	1448 ¹⁴¹¹ 18	18:25 ^c	T, S, P ^h
+	22.07	I075/13	64 50,0 ^c	- 07 15,0 ^c	2610	2388 20	23:15 ^c	T, S
+	23.07	I076/12	64 35,0 ^c	- 06 18,0 ^c	2850	2581 ²⁵⁷² 21	3:45 ^c	T, S, P ^h
+	23.07	I077/11	64 21,0 ^c	- 05 14,0 ^c	3150	2511 ²⁵⁷² 21	7:45 ^c	T, S
+	23.07	I078/10	64 06,0 ^c	- 04 12,0 ^c	3120	2802 ²⁸⁰⁰ 21	11:40 ^c	T, S, P ^h
+	23.07	I079/9	63 50,0 ^c	- 03 09,0 ^c	2900	284 ²⁸⁴⁵ 21	16:45 ^c	T, S ^c
+	23.07	I080/8	63 36,0 ^c	- 02 19,0 ^c	2820	2654 ²⁶⁵⁷ 21	20:10 ^c	T, S, P ^h
+	24.07	I081/7	63 22,0 ^c	- 01 17,0 ^c	2070	1974 19	00:15 ^c	T, S
+	24.07	I082/6	63 07,0 ^c	- 00 20,0 ^c	1650	1475 ¹⁴⁷³ 18	3:45 ^c	T, S, P ^h
+	24.07	I083/5	62 53,0 ^c	- 00 38,0 ^c	1170	1080 ¹⁰⁸⁵ 18	0:45 ^c	T, S
+	24.07	I084/4	62 38,0 ^c	- 01 38,0 ^c	720	708 15	9:53 ^c	T, S, P ^h
+	24.07	I085/3	62 24,0 ^c	- 02 42,0 ^c	395	373 12	13:00 ^c	T, S
+	24.07	I086/2	62 10,0 ^c	03 30,0 ^c	260	260 ²⁵⁹ 10	15:30 ^c	T, S, P ^h
+	24.07	I087/1	61 54,0 ^c	04 35,0 ^c	90	75 ⁷⁹ 6	19:30 ^c	T, S, P ^h