

| № Станции | Дата | Широта     | Долгота | Глубина | Замечания                                                             |
|-----------|------|------------|---------|---------|-----------------------------------------------------------------------|
| Батометр  |      |            |         |         |                                                                       |
| 15.50     | 3977 | 11.06.1983 | 60°59'  | -1.84'  | 125 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 17.40     | 3978 |            | 61.01   | -1.36   | 152 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 20.23     | 3979 |            | 61      | -2      | 560 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 21.18     | 3980 | 12.06.1983 | 61.12   | -2.39   | 1000 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 23.50     | 3981 |            | 61.21   | -3.10   | 1340 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 2.15      | 3982 | 13.06.1983 | 61.23   | -3.42   | 1200 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 4.01      | 3983 |            | 61.35   | -2.15   | 940 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 7.47      | 3984 |            | 61.42   | -4.51   | 230 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 9.50      | 3985 |            | 61.49   | -5.21   | 170 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 11.40     | 3986 |            | 61.54   | -5.45   | 280 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 13.49     | 3987 |            | 62      | -6.12   | 120 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 11.16     | 3988 | 15.06.83   | 61.16   | -3.25   | 1220 T, S                                                             |
| 13.40     | 3989 |            | 61.12   | -3.09   | 1120 T, S                                                             |
| 20.17     | 3990 | 19.06.1983 | 61.20   | -3.40   | 1100 T, S                                                             |
| 22.51     | 3991 |            | 61.16   | -3.23   | 1250 T, S                                                             |
| 0.43      | 3992 | 20.06.1983 | 61.12   | -3.10   | 1145 T, S                                                             |
| 2.33      | 3993 |            | 61.09   | -2.54   | 1020 T, S                                                             |
| 4.39      | 3994 |            | 61.14   | -2.40   | 1060 T, S                                                             |
| 6.14      | 3995 |            | 61.16   | -2.46   | 1110 T, S                                                             |
| 8.05      | 3996 |            | 61.19   | -3.03   | 1200 T, S                                                             |
| 10.50     | 3997 |            | 61.22   | -3.18   | 1300 T, S                                                             |
| 13.00     | 3998 |            | 61.26   | -3.34   | 1250 T, S                                                             |
| 14.29     | 3999 |            | 61.29   | -3.42   | 1220 T, S                                                             |
| 16.45     | 4000 |            | 61.33   | -3.47   | 1350 T, S                                                             |
| 18.38     | 4001 |            | 61.29   | -3.11   | 1400 T, S                                                             |
| 21.06     | 4002 |            | 61.16   | -2.55   | 1570 T, S                                                             |
| 23.12     | 4003 |            | 61.22   | -2.40   | 1200 T, S                                                             |
| 4.08      | 4004 | 21.06.1983 | 61.19   | -3.37   | 1100 T, S                                                             |
| 7.49      | 4005 |            | 61.16   | -3.23   | 1270 T, S                                                             |
| 9.58      | 4006 |            | 61.12   | -3.10   | 1200 T, S                                                             |
| 12.19     | 4007 |            | 61.09   | -2.54   | 1020 T, S                                                             |
| 14.30     | 4008 |            | 61.14   | -2.40   | 1060 T, S                                                             |
| 16.56     | 4009 |            | 61.16   | -2.47   | 1100 T, S                                                             |
| 19.46     | 4010 |            | 61.19   | -3.03   | 1200 T, S                                                             |
| 20.00     | 4011 |            | 61.22   | -3.18   | 1300 T, S                                                             |
| 21.57     | 4012 |            | 61.25   | -3.34   | 1260 T, S                                                             |
| 23.48     | 4013 |            | 61.28   | -3.42   | 1075 T, S                                                             |
| 2.10      | 4014 | 22.06.1983 | 61.33   | -3.46   | 1380 T, S                                                             |
| 4.27      | 4015 |            | 61.29   | -3.11   | 1420 T, S                                                             |
| 6.34      | 4016 |            | 61.26   | -2.55   | 1350 T, S                                                             |
| 9.37      | 4017 |            | 61.22   | -2.40   | 1200 T, S                                                             |
| 13.03     | 4018 |            | 61.19   | -3.40   | 1100 T, S                                                             |
| 14.41     | 4019 |            | 61.16   | -3.25   | 1240 T, S                                                             |
| 17.04     | 4020 |            | 61.12   | -3.10   | 1150 T, S                                                             |
| 18.53     | 4021 |            | 61.09   | -2.53   | 1030 T, S                                                             |
| 20.52     | 4022 |            | 61.14   | -2.40   | 1066 T, S                                                             |
| 22.45     | 4023 |            | 61.16   | -2.49   | 1140 T, S                                                             |
| 7.05      | 4024 | 23.06.1983 | 61.19   | -3.03   | 1200 T, S                                                             |
| 3.12      | 4025 |            | 61.23   | -3.16   | 1330 T, S                                                             |
| 2.14      | 4026 | 24.06.83   | 62.00   | -6.12   | 120 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 4.17      | 4027 |            | 61.54   | -5.45   | 270 T, S, O <sub>2</sub> , Ph, Si                                     |
| 6.07      | 4028 |            | 61.49   | -5.21   | 778 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>  |
| 9.13      | 4029 |            | 61.42   | -4.51   | 220 T, S, O <sub>2</sub> , Ph, Si                                     |
| 10.59     | 4030 |            | 61.34   | -4.15   | 1040 T, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |

|       |      |          |       |        |      |                                                                |
|-------|------|----------|-------|--------|------|----------------------------------------------------------------|
| 13.22 | 4031 | 24.06.83 | 61.28 | -2.42  | 1200 | T,S,O <sub>2</sub> , Ph, Si                                    |
| 16.47 | 4032 |          | 61.21 | -3.10  | 1320 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 19.21 | 4033 |          | 61.14 | -2.40  | 1060 | T,S,O <sub>2</sub> , Ph, Si                                    |
| 21.50 | 4034 |          | 61.08 | -1.10  | 540  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 0.21  | 4035 | 25.06.83 | 61.01 | -1.36  | 154  | T,S,O <sub>2</sub> , Ph, Si                                    |
| 2.24  | 4036 |          | 61.00 | -1.01  | 120  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 11.50 | 4037 | 2.07.83  | 61.05 | 2.42   | 260  | T,S,O <sub>2</sub> , Ph                                        |
| 13.43 | 4038 |          | 61.03 | 2.46   | 230  | T,S,O <sub>2</sub> , Ph                                        |
| 16.06 | 4039 | 3.07.83  | 65.00 | 10.00  | 270  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub>                   |
| 21.18 | 4040 |          | 65.00 | 7.36   | 240  | T,S                                                            |
| 5.10  | 4041 | 4.07.83  | 66.00 | 4.59   | 765  | T,S                                                            |
| 2.40  | 4042 |          | 65.00 | 2.30   | 2600 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 21.55 | 4043 |          | 65.00 | 0      | 2800 | T,S                                                            |
| 6.28  | 4044 | 5.07.83  | 65.00 | -2.30  | 3150 | T,S                                                            |
| 16.13 | 4045 |          | 65.00 | -5.00  | 2950 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 13.13 | 4046 |          | 65.00 | -7.31  | 2050 | T,S                                                            |
| 4.00  | 4047 | 6.07.83  | 64.01 | -7.26  | 1870 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 9.33  | 4048 |          | 64.01 | -7.23  | 1970 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 12.56 | 4049 |          | 64.03 | -7.26  | 1920 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 0.27  | 4050 | 7.07.83  | 64.00 | -10.00 | 630  | T,S                                                            |
| 6.09  | 4051 |          | 65    | -10    | 700  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 14.00 | 4052 |          | 64.00 | -12.30 | 600  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 19.23 | 4053 |          | 63.00 | -12.30 | 170  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 0.48  | 4054 | 8.07.83  | 66.00 | -12.30 | 285  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 6.38  | 4055 |          | 66.00 | -10.00 | 1150 | T,S                                                            |
| 12.46 | 4056 |          | 66.00 | -7.31  | 1950 | T,S                                                            |
| 19.03 | 4057 |          | 66.00 | -5.00  | 3300 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 4.40  | 4058 | 9.07.83  | 66.00 | -2.31  | 3150 | T,S                                                            |
| 14.12 | 4059 |          | 66.00 | -2.32  | 3400 | T,S                                                            |
| 21.50 | 4060 |          | 66.00 | 0      | 3125 | T,S                                                            |
| 4.40  | 4061 | 10.07.83 | 66.00 | 2.29   | 1760 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 10.43 | 4062 |          | 66.00 | 4.59   | 970  | T,S                                                            |
| 16.56 | 4063 |          | 66.00 | 7.34   | 400  | T,S                                                            |
| 22.28 | 4064 |          | 66.00 | 10.00  | 270  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 4.15  | 4065 | 11.07.83 | 67.00 | 9.58   | 400  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 9.51  | 4066 |          | 67.00 | 7.30   | 1130 | T,S                                                            |
| 15.40 | 4067 |          | 67.00 | 5.00   | 1320 | T,S                                                            |
| 21.30 | 4068 |          | 67.00 | 2.30   | 1340 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 3.43  | 4069 | 12.07.83 | 67.00 | 0      | 3620 | T,S                                                            |
| 11.26 | 4070 |          | 67.00 | -2.30  | 3700 | T,S                                                            |
| 19.13 | 4071 |          | 67.00 | -5.13  | 3550 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 5.07  | 4072 | 13.07.83 | 67.00 | -7.30  | 2000 | T,S                                                            |
| 9.68  | 4073 |          | 67.00 | -10.01 | 1500 | T,S                                                            |
| 16.08 | 4074 |          | 67.00 | -12.30 | 1510 | T,S                                                            |
| 22.25 | 4075 |          | 67.00 | -15.00 | 160  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 4.37  | 4076 | 14.07.83 | 68.00 | -15.00 | 1750 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 10.12 | 4077 |          | 68.00 | -12.30 | 1850 | T,S                                                            |
| 16.07 | 4078 |          | 68.00 | -10.00 | 1900 | T,S                                                            |
| 22.00 | 4079 |          | 68.00 | -7.30  | 1860 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 4.43  | 4080 | 15.07.83 | 68.00 | -5.00  | 3250 | T,S                                                            |
| 19.13 | 4081 |          | 68.00 | -2.30  | 3700 | T,S                                                            |
| 19.00 | 4082 |          | 68.00 | 0      | 3060 | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 14.10 | 4083 | 23.07.83 | 68.00 | 2.30   | 2750 | T,S                                                            |
| 19.46 | 4084 |          | 68.00 | 5.01   | 1330 | T,S                                                            |
| 1.12  | 4085 | 24.07.83 | 68.00 | 7.30   | 1800 | T,S                                                            |
| 6.51  | 4086 |          | 68.00 | 10.00  | 780  | T,S,O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |

|       |      |          |       |        |       |                                                                   |
|-------|------|----------|-------|--------|-------|-------------------------------------------------------------------|
| 16.55 | 4087 | 24.07.83 | 69.00 | -12.32 | 1700  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 12.56 | 4088 |          | 69.00 | -10.00 | 30.30 | Ti, S                                                             |
| 5.13  | 4089 | 25.07.83 | 69.00 | -7.30  | 3150  | Ti, S                                                             |
| 12.53 | 4090 |          | 69.00 | -5.00  | 3200  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 14.03 | 4091 |          | 69.00 | -2.30  | 2260  | Ti, S                                                             |
| 2.53  | 4092 | 26.07.83 | 69.00 | 0      | 2950  | Ti, S                                                             |
| 8.24  | 4093 |          | 68.59 | -2.29  | 3200  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 15.30 | 4094 |          | 69.00 | -5.00  | 3350  | Ti, S                                                             |
| 22.11 | 4095 |          | 69.00 | -4.30  | 2040  | Ti, S                                                             |
| 4.07  | 4096 | 27.07.83 | 69.00 | -10.02 | 2150  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 4.49  | 4097 |          | 69.00 | -12.29 | 1840  | Ti, S                                                             |
| 15.57 | 4098 |          | 69.00 | -12.00 | 1460  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 19.13 | 4099 | 28.07.83 | 66.04 | -14.05 | 725   | Ti, S                                                             |
| 24.16 | 4100 |          | 63.57 | -13.37 | 750   | Ti, S                                                             |
| 23.53 | 4101 |          | 63.50 | -13.08 | 720   | Ti, S                                                             |
| 1.40  | 4102 | 29.07.83 | 63.42 | -8.40  | 480   | Ti, S                                                             |
| 3.41  | 4103 |          | 63.34 | -12.09 | 380   | Ti, S                                                             |
| 6.40  | 4104 |          | 63.20 | -11.15 | 370   | Ti, S                                                             |
| 10.13 | 4105 |          | 63.05 | -10.19 | 440   | Ti, S                                                             |
| 14.20 | 4106 |          | 61.52 | -9.21  | 430   | Ti, S                                                             |
| 19.38 | 4107 |          | 62.35 | -8.28  | 480   | Ti, S                                                             |
| 20.34 | 4108 |          | 62.22 | -7.40  | 100   | Ti, S                                                             |
| 1.12  | 4109 | 30.07.83 | 62.34 | -5.54  | 145   | Ti, S                                                             |
| 3.14  | 4110 |          | 62.24 | -5.18  | 215   | Ti, S                                                             |
| 5.14  | 4111 |          | 62.17 | -4.47  | 240   | Ti, S                                                             |
| 7.14  | 4112 |          | 62.10 | -4.17  | 280   | Ti, S                                                             |
| 9.18  | 4113 |          | 62.04 | -3.46  | 640   | Ti, S                                                             |
| 11.51 | 4114 |          | 61.57 | -3.15  | 1400  | Ti, S                                                             |
| 14.21 | 4115 |          | 61.51 | -2.43  | 1590  | Ti, S                                                             |
| 16.53 | 4116 |          | 61.44 | -2.13  | 1530  | Ti, S                                                             |
| 19.36 | 4117 |          | 61.38 | -1.43  | 950   | Ti, S                                                             |
| 1.03  | 4118 | 31.07.83 | 61.31 | -1.12  | 280   | Ti, S                                                             |
| 3.15  | 4119 |          | 61.24 | -0.40  | 790   | Ti, S                                                             |
| 5.27  | 4120 |          | 61.10 | -0.56  | 152   | Ti, S                                                             |
| 7.28  | 4121 |          | 61.17 | -1.27  | 250   | Ti, S                                                             |
| 9.18  | 4122 |          | 61.22 | -1.56  | 730   | Ti, S                                                             |
| 12.30 | 4123 |          | 61.29 | -2.27  | 1350  | Ti, S                                                             |
| 16.53 | 4124 |          | 61.36 | -2.59  | 1450  | Ti, S                                                             |
| 19.30 | 4125 |          | 61.43 | -3.28  | 1440  | Ti, S                                                             |
| 22.06 | 4126 |          | 61.50 | -3.59  | 720   | Ti, S                                                             |
| 0.14  | 4127 | 1.08.83  | 61.56 | -4.30  | 320   | Ti, S                                                             |
| 2.04  | 4128 |          | 62.02 | -5     | 175   | Ti, S                                                             |
| 4.13  | 4129 |          | 62.09 | -5.32  | 150   | Ti, S                                                             |
| 6.20  | 4130 |          | 62.16 | -6.03  | 90    | Ti, S                                                             |
| 8.14  | 4131 |          | 62.00 | -6.12  | 720   | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 10.08 | 4132 |          | 61.54 | -5.44  | 260   | Ti, S, Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>                  |
| 11.46 | 4133 |          | 61.69 | -5.27  | 765   | Ti, S, Ph, Si, NO <sub>2</sub> , NO <sub>3</sub>                  |
| 13.44 | 4134 |          | 61.42 | -4.52  | 220   | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 16.02 | 4135 |          | 61.35 | -4.15  | 350   | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 18.28 | 4136 |          | 61.28 | -3.42  | 1190  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 20.53 | 4137 |          | 61.27 | -3.08  | 1290  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 22.38 | 4138 |          | 61.14 | -2.40  | 1000  | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 1.43  | 4139 | 2.08.83  | 61.06 | -2.10  | 520   | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 3.52  | 4140 |          | 61.01 | -1.36  | 750   | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 5.57  | 4141 |          | 61.00 | -0.59  | 720   | Ti, S, O <sub>2</sub> , Ph, Si, NO <sub>2</sub> , NO <sub>3</sub> |
| 9.13  | 4142 |          | 60.48 | -1.55  | 715   | Ti, S                                                             |

|               |      |                 |       |       |      |     |
|---------------|------|-----------------|-------|-------|------|-----|
| 14.29         | 4143 | 2.08.83         | 60.54 | -2.25 | 285  | 7.5 |
| 14.16         | 4144 |                 | 61.00 | -2.55 | 690  | 7.5 |
| 16.52         | 4145 |                 | 61.07 | -3.26 | 1120 | 7.5 |
| 19.41         | 4146 |                 | 61.13 | -3.38 | 1050 | 7.5 |
| 22.19         | 4147 |                 | 61.20 | -4.26 | 1000 | 7.5 |
| 1.05          | 4148 | 3.08.83         | 61.26 | -4.57 | 215  | 7.5 |
| 3.20          | 4149 |                 | 61.32 | -5.27 | 231  | 7.5 |
| 5.35          | 4150 |                 | 61.39 | -5.58 | 260  | 7.5 |
| 7.40          | 4151 |                 | 61.24 | -6.11 | 180  | 7.5 |
| 9.46          | 4152 |                 | 61.78 | -5.41 | 230  | 7.5 |
| 12.02         | 4153 |                 | 61.12 | -5.10 | 390  | 7.5 |
| 14.18         | 4154 |                 | 61.05 | -4.39 | 1000 | 7.5 |
| 16.40         | 4155 |                 | 60.58 | -4.10 | 1100 | 7.5 |
| 19.15         | 4156 |                 | 60.52 | -3.40 | 950  | 7.5 |
| 21.57         | 4157 |                 | 60.46 | -3.10 | 900  | 7.5 |
| 23.57         | 4158 |                 | 60.40 | -2.39 | 130  | 7.5 |
| 7.62          | 4159 | 4.08.83         | 60.35 | -2.09 | 140  | 7.5 |
| 8.41          | 4160 |                 | 61.28 | -3.42 | 1150 | 7.5 |
| 11.42         | 4161 |                 | 61.22 | -3.10 | 1250 | 7.5 |
| Зонд-батометр |      |                 |       |       |      |     |
| 8.44          | 1194 | 15.06.83        | 61.19 | -3.40 | 1100 | 7.5 |
| 13.14         | 1195 |                 | 61.09 | -2.55 | 1010 | 7.5 |
| 17.30         | 1196 |                 | 61.14 | -2.47 | 1030 | 7.5 |
| 18.40         | 1197 |                 | 61.16 | -2.47 | 1110 | 7.5 |
| 20.38         | 1198 |                 | 61.19 | -3.03 | 1190 | 7.5 |
| 12.47         | 1199 |                 | 61.23 | -3.18 | 1300 | 7.5 |
| 1.05          | 1200 | 16.06.83        | 61.26 | -3.34 | 1250 | 7.5 |
| 2.55          | 1201 |                 | 61.28 | -3.43 | 1170 | 7.5 |
| 5.05          | 1202 |                 | 61.33 | -3.26 | 1350 | 7.5 |
| 6.50          | 1203 |                 | 61.29 | -3.11 | 1400 | 7.5 |
| 8.50          | 1204 |                 | 61.25 | -2.55 | 1340 | 7.5 |
| 10.48         | 1205 |                 | 61.22 | -2.40 | 1200 | 7.5 |
| 14.21         | 1206 |                 | 61.19 | -3.40 | 1070 | 7.5 |
| 16.30         | 1207 |                 | 61.15 | -3.25 | 1220 | 7.5 |
| 18.40         | 1208 |                 | 61.12 | -3.07 | 1140 | 7.5 |
| 20.35         | 1209 |                 | 61.09 | -2.54 | 1030 | 7.5 |
| 22.48         | 1210 |                 | 61.14 | -2.40 | 1070 | 7.5 |
| 0.12          | 1211 | 17.06.83        | 61.16 | -2.47 | 1120 | 7.5 |
| 2.47          | 1212 |                 | 61.19 | -3.03 | 1200 | 7.5 |
| 5.00          | 1213 |                 | 61.22 | -3.18 | 1310 | 7.5 |
| 7.11          | 1214 |                 | 61.26 | -3.33 | 1370 | 7.5 |
| 8.52          | 1215 |                 | 61.28 | -3.42 | 1240 | 7.5 |
| 10.52         | 1216 |                 | 61.33 | -3.26 | 1380 | 7.5 |
| 12.48         | 1217 |                 | 61.29 | -3.10 | 1470 | 7.5 |
| 14.48         | 1218 |                 | 61.26 | -2.56 | 1340 | 7.5 |
| 16.38         | 1219 |                 | 61.22 | -2.40 | 1150 | 7.5 |
| 18.45         | 1220 |                 | 61.19 | -3.02 | 1190 | 7.5 |
| 22.48         | 1221 |                 | 61.20 | -3.07 | 1190 | 7.5 |
| 0.47          | 1222 | 18.06.83        | 61.19 | -3.04 | 1200 | 7.5 |
| 2.45          | 1223 |                 | 61.20 | -2.59 | 1150 | 7.5 |
| 8.49          | 1224 | (1144) 20.06.83 | 61.20 | -3.03 | 1200 | 7.5 |
| 12.24         | 1225 | 19.06.83        | 61.20 | -3.02 | 1240 | 7.5 |
| 5.05          | 1226 | 18.06.83        | 61.20 | -3.07 | 1250 | 7.5 |
| 6.39          | 1227 |                 | 61.20 | -3.02 | 1200 | 7.5 |
| 8.37          | 1228 |                 | 61.20 | -3.00 | 1200 | 7.5 |
| 10.30         | 1229 |                 | 61.20 | -3.06 | 1290 | 7.5 |

